

THE IN A HURRY SERIES

Mars

in a Hurry

The obsession, the science, and the plan

Max Brocklesby

BOOKSINAHURRY.COM

Contents

The Whole Thing in One Page 4

Why You Should Care 5

The Core Ideas 7

How It Actually Works 20

What People Get Wrong 29

Use It 33

Terms 38

Go Deeper 41

Notes and Sources 43

Bibliography 50

The Whole Thing in One Page

Mars looks like a place waiting for us. It has ground, weather, seasons, polar ice and a day only thirty-nine minutes longer than ours. Through a telescope it is red enough to be ominous and patterned enough to invite interpretation. In photographs it supplies horizons, hills and sunsets. The resemblance has made Mars the favourite screen for human projection: first a world of canals and dying engineers, then an invader's base, a scientific quarry, a frontier, a refuge and a promised second home.

The resemblance is also the trap. Mars is half Earth's diameter, has about thirty-eight per cent of its surface gravity, and has surface pressure usually below one per cent of Earth's sea-level value. That air is mostly carbon dioxide. Liquid water is unstable on most of the present surface. Radiation arrives with little atmospheric or magnetic protection. Dust enters mechanisms, obscures sunlight and follows equipment indoors. Mars offers a recognisable landscape without the services that make a landscape habitable.

Its scientific value comes from what failed. Early Mars had rivers, lakes, deltas, groundwater and repeated intervals when liquid water moved across the surface. The history was not one clean fall from warm and wet to cold and dry. Different places changed at different times, while atmosphere escaped to space and water also became bound into the crust. Earth renews much of its surface; Mars keeps ancient terrain exposed. It is an archive of how a small rocky planet can lose a thick atmosphere, sustained surface water and global magnetic protection.

Water once present means Mars had habitable environments. It does not mean life occupied them. Viking's 1976 landers found startling soil chemistry but no clear evidence of organisms. Later missions found minerals made in water, ancient organic matter and disputed methane. Perseverance has examined a rock whose organics, iron minerals and reaction fronts qualify as potential biosignatures, while non-biological explanations remain possible. The evidence has improved by becoming harder to overstate.

Reaching Mars is a chain rather than a leap. Useful launch opportunities recur about every twenty-six months. The journey lasts months, radio instructions take minutes each way, and a solar conjunction can interrupt commanding. Arrival is worse: the atmosphere is thick enough to heat an incoming craft and too thin to stop a heavy one by parachute. A human mission must also close power, pressure, water, oxygen, food, radiation, dust, maintenance, ascent and return across long supply gaps.

Robots have closed parts of that chain. Rovers drive, drill and choose routes. Ingenuity flew. MOXIE made oxygen from Martian air. Perseverance sealed samples. None of those demonstrations is a settlement. Public agencies have operating spacecraft and announced missions; NASA has an evolving architecture; China has announced a sample-return schedule; SpaceX publishes much larger ambitions. Their dates do not have equal evidential weight.

Mars matters because it forces one discipline on every hope placed there: separate resemblance from capability. The planet became scientifically real as observers surrendered the Mars they expected. It will become operationally reachable by the same process, one measured failure, tested interface and recoverable commitment at a time.

That is the book.

Why You Should Care

In July 1965, the first close photograph of Mars did not arrive as a picture. Mariner 4 sent numbers, each describing the brightness of one small patch. Engineers at the Jet Propulsion Laboratory wanted to see the result before the formal processing system finished, so they printed the values in rows and coloured the squares by hand. What emerged was rough, striped and cratered. A world that had supported imaginary canals, cities and invasions was being replaced, pixel by pixel, by evidence.

That replacement is the first reason to care. Mars is the cleanest case study in how intelligent people see what their instruments, assumptions and

culture permit them to see. Giovanni Schiaparelli recorded canali in 1877. Percival Lowell organised a life and an observatory around a network he believed intelligent beings had built. The lines were not on Mars, yet they were not random foolishness either. They were produced by a real planet at the edge of resolution, a human visual system that joins uncertain marks, and a civilisation already impressed by Suez, Panama and engineering at continental scale. Better knowledge did not arrive by mocking the observers. It arrived by changing the measurement.

The second reason is planetary. Earth is not the standard form of a rocky world. It is one outcome. Mars began with many of the same ingredients, differentiated into crust, mantle and core, carried water, built volcanoes and altered rocks through chemistry. Then its path diverged. Its smaller mass, cooling interior, lost global magnetic field, changing atmosphere, volcanism, impacts, ice and orbital variations produced another history. Reading that history improves the question from why is Mars dead to what keeps any planet clement, and for how long.

The third is biological, even if no Martian organism is ever found. Searching for life on Mars exposes how difficult the word evidence becomes near the edge of knowledge. A gas can have several sources. Organic molecules are chemistry, not a census. A mineral association can be suggestive without being diagnostic. Instruments destroy some compounds while trying to detect them. Terrestrial microbes can contaminate the experiment. Each apparent answer creates a demand for cleaner context, independent tests and better samples. Mars teaches scientific restraint in a form vivid enough to remember.

Then there is the engineering. Mars is close enough to tempt us and far enough to break ordinary operating habits. A rover cannot wait for a driver on Earth to steer around every rock. A crew cannot call for a spare pump and receive it on Tuesday. Landing, power, heat, pressure and maintenance must work as a system whose parts fail on different clocks. That turns Mars into a severe test of autonomy, reliability, repair and honest project language.

The plan therefore matters even before anyone goes. It shows the difference between a capability, a demonstration, an architecture, a mission and a slogan. Governments and companies frequently place all five on one timeline. Mars refuses the compression. A helicopter flight proves flight in Martian air. It does not prove cargo aviation. Oxygen made for an hour proves a process. It does not prove a plant that fills an ascent vehicle while unattended for months.

The final reason is moral. Exploration can protect a record or contaminate it, enlarge human knowledge or bury it under imported biology. A settlement would raise questions about authority, labour, rescue, resources and responsibility before it produced a city. Mars is empty of known inhabitants, but it is not empty of consequences.

You should care because Mars is where desire repeatedly meets a surface that does not negotiate. The encounter has made our science better. It may yet make our plans better too.

The Core Ideas

The Almost-Earth

Mars is compelling because the first comparison nearly works. Its day lasts 24 hours 39 minutes. Its axis tilts by about 25 degrees, close to Earth's 23.4, so it has seasons. White caps grow and shrink at the poles. Clouds pass over volcanoes. Frost forms. Dust travels on wind. At ground level, a camera finds slopes, pebbles, dunes, layered cliffs and a horizon that could be mistaken for a terrestrial desert until the colour balance or the sky gives it away.

The comparison then fails in every operating detail. Mars has roughly half Earth's diameter and about one-tenth of its mass. Surface gravity is around 38 per cent of ours. A Martian year lasts 687 Earth days, and the seasons are uneven because the orbit is more elliptical. The atmosphere is mostly carbon dioxide and its pressure varies with altitude, weather and the seasonal freezing of carbon dioxide at the poles, but it is usually below one

per cent of sea-level pressure on Earth. Exposed liquid water therefore tends to freeze, boil or evaporate rather than remain as a stable lake.

The red is a surface process, not the planet's true palette. Iron-bearing minerals oxidised, and fine dust spreads their colour through the air and across darker rock. Rover images contain greys, browns, tans, blacks, whites and occasional blue sunsets. From Earth, those details collapsed into a few shifting patches. Early observers gave them names borrowed from seas and continents because the vocabulary came before the evidence. Syrtis Major became a dark triangular landmark; pale regions became lands; dark regions became maria, or seas. A map can domesticate a place long before it describes it.

The terrain also tempts comparison at the wrong scale. Olympus Mons is the solar system's largest known volcano, but its exact quoted height changes with the chosen datum and local baseline. Valles Marineris extends roughly 3,870 kilometres and reaches about nine kilometres from rim to floor at its deepest. Neither is a terrestrial mountain or canyon enlarged for effect. Olympus grew under different gravity and crustal conditions, while Valles Marineris is primarily a tectonic rift system modified by collapse, landslides and erosion, not a river-cut Grand Canyon.

A global map reveals another difference that no view from a landing site can show. Much of the southern hemisphere is old, high and heavily cratered, while broad northern plains are lower, younger-looking and smoother. This hemispheric dichotomy is one of the largest structures on Mars. A colossal early impact is one candidate explanation; deep internal processes are another. The cause remains unsettled, but the contrast shaped where water, lava, sediment and atmosphere later moved.

This is the first discipline Mars demands: resemblance is a clue, never a completed model. A terrestrial word such as river, soil, season or snow can point towards a useful analogy while concealing chemistry, pressure, timescale and origin. The word soil is especially treacherous because Martian regolith has rock fragments and dust but no established ecosystem turning it into living ground.

The obsession begins in that gap. Mars gives the eye enough familiarity to construct a world and withholds enough detail to let the construction survive. Each advance in observation narrows the room for fantasy without removing the attraction. The planet becomes more interesting as it becomes less accommodating.

A Planet That Lost Its Climate

Mars preserves a contradiction across its surface. The present planet is cold, dry and thin-aired. The old planet cut valleys, filled basins, laid down deltas, altered minerals in water and moved sediments through channels. Some rocks record lakes that persisted long enough to build layered deposits. Others record floods or groundwater. The question is not whether liquid water acted on ancient Mars. It is how often, for how long, over what area, and under which atmosphere.

The convenient answer is a single tragedy: young Mars was warm and wet, then its magnetic field failed, the solar wind stripped the atmosphere, and the oceans vanished. Parts of that sequence are supported. Mars once had an internal dynamo, and magnetised crust retains its trace. The planet now lacks a global magnetic shield. MAVEN has measured several routes by which atmospheric particles escape under solar radiation and solar-wind forcing. Water vapour can be split, allowing light hydrogen to escape more readily. Carbon dioxide has also been lost.

The complete history is less tidy. Water reacts with rock and becomes incorporated into hydrated minerals. A 2021 modelling study found that a wide range, between 30 and 99 per cent of the water participating in ancient Mars's system, could have been sequestered through crustal hydration. That range is not a measurement of a hidden reservoir. It shows that atmospheric escape alone cannot be assumed to balance the ledger. Mars lacks Earth's global cycle of plate tectonics, volcanism and recycling that returns much chemically bound water to the surface, so burial in crust can be a long-term exit from the active hydrological system.

Climate was probably episodic too. Geological synthesis published in 2024

identified evidence consistent with several major transitions rather than one wet-to-dry switch. Rivers and lakes appear across more than a billion years, interrupted by long dry intervals, and some regions dried before others. Impacts, volcanism, atmospheric pressure, orbital tilt and ice movement may all have changed when liquid water was possible. Researchers still debate whether early Mars maintained a broadly warm climate, experienced cold conditions punctuated by melting, or moved among several states.

This unevenness matters for life. A lake lasting thousands of years and groundwater available for far longer offer different biological opportunities from a flash flood over frozen ground. A valley proves movement. A delta records deposition. Clay records water-rock interaction. None alone specifies temperature, salinity, acidity, duration or continuity, which are the conditions an organism would have faced.

Tharsis adds a second planetary-scale disturbance. Its immense volcanic load rose over long periods, fractured the crust, helped open Valles Marineris and released gases that could affect climate. On Earth, a volcanic centre is often carried away from its source by a moving plate. Mars's crust remained comparatively fixed, letting lava accumulate around long-lived centres. The same absence of rapid crustal recycling that preserved old landscapes also allowed volcanoes to grow to extraordinary scale.

The planet's old age is unusually visible. Earth continuously folds, subducts, erodes and rebuilds much of its crust. Mars has weathering, impacts, landslides, frost and volcanism, but no known modern system of global plate recycling. Large areas retain surfaces formed billions of years ago. The traditional Noachian, Hesperian and Amazonian periods divide that record roughly by crater density and geological style: older, more heavily cratered and water-altered terrain gives way to volcanic, sulphate-rich and increasingly cold, dry landscapes.

Water remains. It is frozen in polar caps, buried in the ground, bound in minerals and seasonally exchanged through the atmosphere as vapour and frost. Mapping programmes have identified accessible-looking ice in northern mid-latitudes, though accessible on a map does not mean easy to

mine. Mars did not lose one ocean in one event. It redistributed an active climate into space, rock, ice and a thin atmosphere. Its archive is the history of that redistribution.

Habitability Is Not Life

A habitable environment supplies conditions in which a form of life could persist. A biosignature is a feature that might record life. A detection of life would have to show that biology explains the evidence better than chemistry, geology, contamination and instrument effects. Those are three different claims, and Mars reporting has spent fifty years sliding too quickly from the first towards the third.

Viking made the difficulty visible. Each of the two landers carried three biology experiments. One added radioactively labelled nutrients to soil and detected gases carrying the label, a response that could resemble metabolism. Other experiments heated or illuminated samples and produced their own signals or absences. The accompanying organic-analysis instrument failed to find the molecules researchers expected. The combined result was unexpected chemical activity without clear evidence of microorganisms near either landing site.

For years, the missing organics pushed interpretation towards reactive soil chemistry. Later missions found perchlorate salts. When heated inside an instrument, perchlorates can react with organic compounds and alter or destroy what the experiment is trying to measure. That did not turn Viking into a positive result. It changed the confidence that could be placed in one apparent negative and showed that the test and the sample chemistry were entangled.

Curiosity moved the search from present organisms towards past environments and preserved chemistry. At Gale crater it found mudstones formed in an ancient lake, minerals indicating conditions that could once have supported microbial life, and organic compounds in old sedimentary rock. In 2025, researchers reported larger organic molecules than had previously been identified there. Mars can therefore preserve ancient

carbon chemistry. Carbon chemistry is still not biology. Organics arrive in meteorites, form through non-biological reactions and can be transformed by radiation and water-rock processes.

Methane offers the same lesson in a more frustrating form. On Earth, much methane is biological, but rocks, water and ultraviolet chemistry can make or destroy it. Curiosity has reported low background concentrations and occasional changes at Gale crater. The Trace Gas Orbiter, sampling the atmosphere by looking through long paths of sunlight, reported no methane at sensitivities that seemed hard to reconcile with the rover's results. The instruments observe different places and parts of the atmosphere in different ways. Until transport, destruction or measurement can explain the mismatch, methane is a research problem, not a Martian livestock report.

Perseverance has produced the strongest recent example of disciplined uncertainty. In the Bright Angel formation, it examined fine-grained sedimentary rock containing organic carbon, small nodules and reaction fronts enriched in minerals likely to include vivianite and greigite. On Earth, similar redox chemistry can be associated with microbial metabolisms. Non-biological routes also exist. The rock context did not display some of the high-temperature or strongly acidic conditions that would make those alternatives easy, yet the rover's instruments cannot perform every discriminating test.

The correct phrase is potential biosignature. Perseverance sealed a core from the rock because laboratories on Earth can separate isotopes, textures, mineral relationships and molecular structures with instruments too large and adaptable to send on one rover. Even a returned sample would require controlled contamination records and independent replication.

Mars has crossed the habitability threshold many times in the evidence. It has not crossed the life-detection threshold. That distinction protects the value of both claims. A planet with habitable ancient environments is already a major discovery. Life, if established, deserves a standard that can survive the announcement.

Mars Is Reached on a Clock

The average distance to Mars, about 228 million kilometres from the Sun and variable relative to Earth, is less important to mission design than the motion of both planets. A spacecraft does not aim at where Mars appears. It enters an orbit around the Sun that intersects where Mars will be. The usual energy-efficient opportunities recur roughly every twenty-six months, when the geometry permits a useful transfer.

This gives every Mars programme a pulse. Miss the launch period and hardware may wait more than two years while teams, budgets and components age. Arrive with the wrong speed or angle and the distance already travelled offers no credit. A chemical-propulsion journey commonly takes about six to nine months, but duration is a design choice involving energy, mass, exposure, arrival conditions and available propulsion. Faster is not free.

The clock continues after arrival. A sol is close enough to an Earth day that surface teams can work on Martian time, yet the extra thirty-nine minutes shifts meetings and sleep each day when teams follow it directly. A Martian year is almost twice as long as Earth's, so a rover designed for one Mars year must survive nearly two terrestrial years of temperature cycles, dust and mechanical use. Seasons differ in length, and atmospheric density changes as carbon dioxide freezes onto and leaves the polar caps.

Communication is delayed by light itself. Depending on the planets' positions, a message takes roughly three to twenty-three minutes one way. A simple command and response can therefore consume close to an hour before any human has considered the answer. Near solar conjunction, when Mars lies close to the Sun in Earth's sky, radio links become noisy enough that agencies reduce commanding and let spacecraft follow prepared plans.

Autonomy follows from arithmetic, not fashion. Perseverance cannot be joystick-driven through a rock field. It receives goals, analyses local terrain, chooses portions of a route and protects itself when conditions depart from expectation. A human crew would have far more judgement on site, but

Earth-based specialists would still be consultants separated by delay. Medical, mechanical and navigational procedures must tolerate that distance.

Return planning has its own geometry. A mission can accept a long surface stay until the planets align efficiently again, or pay more energy for a different profile. Cargo, communications assets and ascent propellant may need to arrive and prove themselves before a crew leaves Earth. That sequence lengthens the programme while reducing the chance that one late failure strands people.

Mars therefore rewards schedules built around readiness gates and punishes schedules built backwards from anniversaries. Orbital mechanics supplies infrequent doors. Reliability determines whether it is safe to walk through them. The calendar is part of the machine.

The Atmosphere Is the Landing Trap

A spacecraft approaching Mars carries interplanetary speed that must become zero at a chosen patch of ground. Perseverance met the atmosphere at close to 20,000 kilometres per hour and reached the surface about seven minutes later. During that interval, its heat shield, guidance system, supersonic parachute, radar, cameras, descent stage and sky crane had to perform in sequence. Earth could only receive the news after the landing was already over.

Mars's atmosphere is useful enough to be dangerous. It forms a shock wave and heats an entry vehicle, so the craft needs thermal protection and must control its path. It can support a parachute, but its density is too low for a practical parachute to slow a substantial lander to walking speed. Perseverance's parachute opened while the vehicle was still travelling at more than 1,500 kilometres per hour. It reduced the speed dramatically, then the heat shield separated, terrain-relative navigation selected a safer site, and rockets performed the final braking.

This compromise becomes harsher as mass rises. A capsule with astronauts, habitat equipment, consumables and an ascent vehicle could

weigh many times more than any payload landed on Mars. Parachute area does not scale without limits. Large canopies face deployment loads, packing and testing problems. A broad heat shield may not fit inside a launch vehicle. A lifting entry body adds control but also complexity. Rockets that fire while the craft remains supersonic in the atmosphere create interactions among exhaust, airflow, sensors and stability that are difficult to reproduce fully on Earth.

Supersonic retropropulsion is therefore central to many human-class concepts: engines begin serious braking before aerodynamic systems have made the craft subsonic. The principle is familiar from terrestrial reusable rockets, but Mars combines a different atmosphere, entry path, dust environment, communications delay and much larger consequence of failure. A promising method is not a qualified landing system.

Location enters the equation. Low terrain gives an incoming craft more atmosphere through which to slow. Higher latitudes may offer shallower ground ice but colder temperatures and different sunlight. Scientifically valuable ancient rocks can lie among hazards. Engineers and scientists are choosing among atmosphere, elevation, slope, rocks, ice, power, communications and access, not selecting one best point on a poster.

Landing also includes departure. Mars's lower gravity and thin air reduce the energy and aerodynamic drag compared with launch from Earth, but an ascent vehicle still needs propellant, ignition, guidance and a rendezvous target in orbit. A human plan that describes descent in cinematic detail and treats ascent as an arrow pointing home has left the most morally important interface open.

Entry, descent and landing is where the almost-Earth analogy fails at speed. There is air, but not the amount familiar systems expect. There is ground, but no runway, rescue service or second attempt. The first heavy landing will be credible only after the chain has been demonstrated at relevant mass and conditions, not because lighter robots made the surface look routine.

Living There Means Manufacturing an Environment

Standing on Mars without protection is not an austere version of camping. The atmosphere provides neither breathable oxygen nor enough total pressure to keep the body functioning; oxygen alone is not a pressure vessel. Temperatures vary sharply, and radiation reaches the surface with little shielding. A person survives inside an engineered pressure boundary. Everything beyond it is industrial support.

That boundary is a continuous service. A habitat must retain pressure, supply oxygen, remove carbon dioxide and trace contaminants, control humidity and temperature, process waste, recover water, distribute power, detect fire, isolate leaks and provide refuge after a failure. Seals age. Filters load. Pumps vibrate. Valves stick. Software misreads sensors. A design can meet every nominal requirement and remain unsafe if a crew cannot diagnose and repair it with the tools, spares and materials on hand.

Power governs the rest. Solar arrays work on Mars and have powered successful missions, but sunlight is weaker than at Earth, varies with latitude and season, and falls during dust events. Dust can settle on panels, though wind has sometimes cleaned them. Nuclear systems offer steadier output and valuable heat, while bringing mass, launch-safety, regulation and fuel constraints. A settlement-scale system may combine sources and storage. The important measure is not peak generation on a clear afternoon. It is whether critical loads survive the worst plausible interval after failures.

Local resources can reduce what must be carried, but only after machinery has made them usable. The carbon dioxide atmosphere contains oxygen atoms. MOXIE proved that a compact solid-oxide electrolysis device could draw in Martian air and separate oxygen. Across sixteen runs it made 122 grams, reaching as much as 12 grams per hour. That is an excellent demonstration and a small quantity. A return rocket may require tens of tonnes of liquid oxygen, produced, purified, compressed, cooled, stored and verified before the crew depends on it.

Water ice may be more valuable still, for drinking, hygiene, agriculture, oxygen and propellant. Orbital radar, neutron measurements and thermal data indicate buried ice across broad northern regions, in some places potentially within the upper metre. Extraction means digging frozen, dusty material in cold conditions, moving it through seals, separating water from soil, cleaning it and preventing pipes from freezing. The nearest ice is not automatically the cheapest water once power, excavation and maintenance are counted.

Radiation adds cumulative risk during the journey and on the surface. Exact dose depends on solar activity, shielding and mission geometry, and the health implications belong in a full account of astronauts. For the Mars plan, the engineering consequence is enough: shielding consumes mass or excavation work, solar storms require a refuge, and surface structures may use water or regolith as protection.

Dust couples many systems. It abrades joints, alters thermal surfaces, reduces solar output, clings electrostatically, carries chemically reactive material and may create respiratory hazards if brought inside. NASA was still refining Mars-specific occupational exposure assumptions in 2026. Clean interfaces, suitports, filtration, monitoring and replaceable wear surfaces belong in the architecture from the beginning.

The missing word in most settlement images is maintenance. A city is not a shipment of habitats. It is the capacity to keep pressure, power, water and transport available while components fail, supply windows close and demand changes. Local production becomes meaningful when it can make useful parts and feedstocks with acceptable quality, not when a printer produces one ceremonial tool.

Mars habitation is possible in degrees. A crew can survive for a mission while depending on Earth. A base can reuse more materials and weather longer delays. A settlement would need growing local competence without pretending independence from a planet that supplies specialist electronics, medicines, knowledge and people. The distinction is operational, not romantic.

A Plan Is a Chain of Recoverable Commitments

Mars plans are easiest to understand when sorted by maturity. An operating mission is delivering data now. An approved mission has selected hardware, funding and responsibilities, though it can still slip or fail. A technology demonstration has proved a bounded function. An architecture identifies capabilities and relationships. A company target states an intention. A settlement image may contain no plan at all.

As of September 2026, Mars is supported by a real but ageing robotic system. Curiosity and Perseverance work on the surface. Mars Odyssey, Mars Reconnaissance Orbiter, Mars Express and the Trace Gas Orbiter observe and relay. The United Arab Emirates' Hope orbiter studies the atmosphere. NASA's MAVEN mission ended after contact was lost, while the launched ESCAPEDE spacecraft were still travelling towards a planned 2027 arrival. Every rover conversation with Earth depends on orbiters and terrestrial antennas, which is why a communications satellite can matter more to the next decade than a dramatic landing sketch.

The next layer contains selected or announced missions with unequal certainty. ESA's Rosalind Franklin rover is scheduled for a late-2028 launch and is designed to drill as deep as two metres, reaching material better protected from surface radiation and oxidation. China has announced Tianwen-3, using separate launches and a multi-part system, with an aim of returning Mars samples around 2031. NASA awarded a contract in September 2026 for a dedicated telecommunications orbiter intended for delivery by the end of 2028 and service around 2030. These programmes must still pass manufacture, launch and operations.

Mars Sample Return exposes the chain most clearly. Perseverance has selected, drilled, sealed and stored cores. Returning one requires access to the cache, a lander, sample transfer, a rocket launch from another planet, orbital rendezvous, an Earth-return vehicle and containment through landing and assessment. NASA reset its proposed architecture after cost and schedule concerns and said it would compare two landing approaches before confirming one design in the second half of 2026. No later public

confirmation was available by 4 September. The samples are real. The American return path remained publicly unclosed.

Human exploration adds more links and raises the standard from mission success to crew survival. Cargo must land near enough to be useful. Power and communications should operate through adverse seasons. An ascent system and propellant should be ready before people arrive. Habitats need independent refuge modes. Surface vehicles must fail safely. Medical and repair capacity must match the time until help. A credible sequence learns from uncrewed cargo, scales demonstrations, and preserves options when a component misses a launch window.

NASA's Moon to Mars Architecture is explicit that it is not a mission, a manifest or a requirements set. Its value is to expose capability gaps and interfaces. SpaceX states far larger and faster ambitions built around reusable heavy transport and on-orbit refilling. Those ideas may alter cost and cadence if demonstrated, but an Earth-orbit milestone does not close Mars entry, long-duration storage, surface power, ascent, life support or planetary protection. Ambition can set direction. Evidence sets maturity.

Protection and authority belong inside the chain. Spacecraft sent to sensitive sites must limit terrestrial contamination so later life-detection work remains interpretable. Material returned to Earth requires containment and assessment. The Outer Space Treaty bars national appropriation and makes states responsible for national activities, yet it leaves many practical questions of resource use, settlement government, labour, rescue and environmental duty unsettled. NASA announced a new review of Mars forward-contamination assumptions at the end of August 2026, with work planned from September to November, so even the policy gates are moving.

The best Mars plan is not the one with the earliest crew date. It is the one that makes failure visible before it becomes fatal, closes each interface at relevant scale, and leaves a safe response when the next launch is twenty-six months away. Mars first attracted us because it looked enough like Earth to complete in imagination. Reaching it requires the opposite habit: refusing to complete any part of the chain that has not yet worked.

How It Actually Works

A line at the limit of sight

In 1877 Mars came close to Earth while Giovanni Schiaparelli watched from Milan through an excellent refracting telescope. He mapped dark and light areas and drew narrow features he called canali. The Italian word could mean channels or grooves. It did not require builders. Through translation and repetition, however, channels became canals, and the distinction arrived in a culture that had recently opened the Suez Canal and would soon be digging across Panama. A straight line on another planet sounded less like geology than public works.

The telescope did not show a stable network waiting to be copied. Mars was small in the eyepiece, its atmosphere and Earth's air disturbed the view, and the eye tried to organise fleeting contrast. Different observers drew different lines. Some saw none. Schiaparelli himself did not build the full story later attached to them, but his maps gave the story a grid.

Percival Lowell supplied the civilisation. Born into a wealthy Boston family, he established an observatory at Flagstaff, Arizona, in 1894, partly for the clear air and partly to make Mars his life's subject. He drew a planet crossed by long, straight canals, often doubled, and interpreted seasonal darkening as vegetation spreading beside water. Mars, in his account, was older than Earth and drying out. Intelligent inhabitants had responded with a planetary irrigation system carrying meltwater from the poles.

Many astronomers doubted the lines and still more doubted the engineers. Lowell's argument prospered in public because it converted uncertain marks into a complete world with crisis, intelligence and purpose. His books, lectures, globes and maps made Mars legible. H. G. Wells then inverted the gaze. In *The War of the Worlds*, published in book form in 1898, an older, colder Mars sends technologically superior invaders to a complacent Earth. The canal builders became imperial predators, and Mars acquired the two roles it has alternated between ever since: endangered frontier and external threat.

Improved observation dissolved the geometry slowly rather than in one decisive night. During the favourable opposition of 1909, Eugène Antoniadi used the large refractor at Meudon and saw irregular patches and mottling where the canal maps demanded straight engineering. Photography and later spectroscopy made the network harder to defend. Seasonal colour changes survived and were sometimes attributed to vegetation well into the spacecraft age, though moving dust, frost and viewing conditions could produce much of the effect. The inhabitants left before the imagined ecology did.

A planet replaces a picture

Spacecraft did not travel to confirm either story. They carried instruments into a region where the telescope's ambiguity could no longer protect it. Early Soviet and American attempts repeatedly failed at launch, during cruise or near arrival. Mars was close by planetary standards and still difficult enough to destroy machines before they returned an answer.

Mariner 4 reached the planet in July 1965. Its camera scanned a narrow strip and transmitted 21 complete images and part of a twenty-second. Before normal processing produced the first picture, engineers printed numerical brightness values and coloured the squares by hand. The image they assembled showed craters. Radio occultation suggested an atmosphere much thinner than many researchers had expected. Lowell's inhabited world disappeared, but the replacement was too narrow. Mariner 4 had photographed a small, old-looking sample and encouraged another premature whole-planet conclusion: Mars as a lunar wasteland with weather.

Mariners 6 and 7 widened the coverage in 1969. Mariner 9 transformed it in 1971. The spacecraft became the first to orbit another planet and arrived during a dust storm that hid almost everything. Mariner 9 could wait for the storm to clear and reprogramme its observations. As the dust cleared, enormous volcanoes emerged, then Valles Marineris, dried channels, layered terrain, polar processes and a world whose geology had scale and history. The cratered Mars had been real. It had never been the whole Mars.

Soviet Mars 3 made the first soft landing in December 1971 and transmitted for only about fifteen seconds. That brief signal fixed another pattern: landing and operating are separate achievements. A surface mission has to survive impact, deploy, make power, communicate, tolerate dust and temperature, and keep doing useful work after the first photograph.

Viking asks the life question

Viking 1 and Viking 2 reached orbit and landed in 1976. Each lander was a self-contained laboratory with cameras, meteorology, chemistry and three experiments designed to detect biological activity in sampled soil. Their arrival pictures showed a cold, rock-strewn plain under a salmon-coloured sky, a landscape mundane enough to seem visitable and hostile enough to make the machinery look exposed.

The labelled-release experiment moistened soil with nutrients tagged by radioactive carbon. Gas carrying the label appeared. If a terrestrial soil had produced that pattern, metabolism would have been an obvious candidate. The gas-exchange and pyrolytic-release experiments supplied other, less accommodating results. The gas chromatograph mass spectrometer found no organic molecules at the expected level. Heating a second portion of soil reduced the labelled-release response, which could support biology but could also change reactive chemistry.

The mission team had not asked one question with one instrument. It had created a set of tests based on expectations about terrestrial microbes and Martian soil. The tests disagreed in a place whose chemistry was poorly known. The official conclusion remained that there was no clear or definitive evidence of life at either site. Gilbert Levin, principal investigator for labelled release, continued to argue for a biological reading. Most researchers favoured non-biological oxidants. Decades later, perchlorate discoveries and improved understanding of radiation chemistry showed why the negative organic result was not as clean as it had appeared, without proving Levin right.

Viking also became an endurance mission. Viking 1 communicated until

1982, years beyond its primary programme. Its orbiters mapped water-related landforms and weather while the landers established the basic surface environment. The search had failed to deliver a verdict, but it had made the next question better: before asking whether something lives there, establish where water acted, what chemistry remains, and which settings could preserve evidence.

The cheap return and the expensive lesson

Mars Pathfinder landed on 4 July 1997 after a long gap in successful American surface missions. Its descent system used a parachute, rockets and a cluster of airbags. The wrapped lander struck the surface at roughly 14 metres per second, bounced more than fifteen times, rose as much as fifteen metres and rolled about a kilometre before stopping. Its petals opened to expose the lander and ramps. Sojourner, a rover about the size of a microwave oven, drove down and began examining nearby rocks.

The mission was sold as faster, cheaper and better than the large programmes of the past. Sojourner had a planned seven-sol surface mission and worked for 83. More important than its range was the operating method. A mobile laboratory could approach selected targets rather than accept whatever lay beside the landing legs. The public could follow a moving machine through a landscape. Mars became a field site.

The cheaper era also supplied a warning against slogans. Mars Climate Orbiter disappeared on arrival in 1999 because one part of the navigation process supplied impulse data in English units while another expected metric. The failure is often told as a joke about inches and centimetres. Its real subject was interface control. Each component could appear competent while the system carried a silent disagreement all the way to another planet. Mars Polar Lander was lost the same year for a different reason, probably during descent. Cost discipline had not cancelled physics or systems engineering.

Follow the water

The recovery began in orbit. Mars Global Surveyor mapped topography, gravity, magnetism and surface change from 1997. Mars Odyssey, arriving in 2001, detected hydrogen close to the surface across high latitudes, strong evidence for buried water ice. ESA's Mars Express entered orbit in 2003 with instruments that mapped minerals, atmosphere and subsurface structure. Mars Reconnaissance Orbiter followed in 2006 with a high-resolution camera capable of seeing rover tracks, layered outcrops and changing slopes while serving as a major communications relay.

These orbiters turned landing-site choice into geological reasoning. A plain was no longer attractive because it was flat alone. Teams could ask whether a safe ellipse contained old lake deposits, clay-bearing rock, exposed strata or accessible ice. The target became a preserved environment with a question attached.

Spirit and Opportunity landed on opposite sides of Mars in January 2004 using Pathfinder's airbag principle at greater scale. Spirit found rocks and deposits altered by water, including silica-rich material associated with past hydrothermal conditions. Opportunity landed among small iron-rich spherules and soon reached layered bedrock whose chemistry and sedimentary structures showed that acidic, salty water had once acted there. Both rovers were designed for ninety sols.

Spirit worked for more than six years. It eventually became embedded in soft material, and attempts to free it failed; the fixed rover continued observations until communications ended in 2010. Opportunity drove more than 45 kilometres over nearly fifteen years. In June 2018 a planet-encircling dust event darkened the sky, solar power fell and the rover stopped responding. Endurance had converted hardware designed for months into long experiments in wheel wear, thermal cycling, dust, autonomy and ageing.

Phoenix landed in the northern plains in 2008, scraped into bright material that disappeared as exposed ice sublimated, and analysed soil containing

perchlorate. Its polar site gave scientists a present water-ice environment rather than another ancient lake. The chemistry complicated life detection and human use at once: perchlorates may preserve or destroy different organics under different analytical conditions, can depress water's freezing point, and would have to be managed in material brought into a habitat.

From habitable place to preserved evidence

Curiosity reached Gale crater in August 2012 using a new descent system. A rocket-powered stage lowered the one-tonne rover on cables, placed it on its wheels and flew away to crash. The sky crane looked extravagant because the payload required it. Airbags could not safely wrap the mass, and the rover needed to begin on its wheels rather than unfold from a lander.

Gale contained a layered mountain rising from a crater floor. Curiosity first established that an ancient lake and stream environment at Yellowknife Bay had water, useful chemical ingredients and energy gradients compatible with microbial life. It then climbed through layers recording changing lakes, groundwater, salts, drying and later alteration. The rover drilled rock, heated powdered samples, measured gases and used a laser to examine chemistry at a distance. It found organic matter in ancient mudstone and later larger carbon-bearing molecules, preserving a record without identifying an organism.

A rover does not conduct fieldwork as a human geologist would. Images and measurements arrive through orbiters, specialists on Earth choose goals, and a command sequence is checked against power, temperature, wheel position, communications and instrument safety before transmission. Mars then rotates through the working period while the rover executes and protects itself. A drill sample passes through a chain of mechanisms into fixed instruments whose ovens, reagents and sensitivity determine what can be seen. The result is rich local context from a minute tract of ground, bought one carefully planned movement and measurement at a time.

MAVEN entered orbit in 2014 to study the upper atmosphere and escape. It

measured how solar activity and the solar wind remove particles, connecting present processes to climate history. The mission ended in 2026 after contact had been lost the previous December, leaving a decade of observations and no simple percentage for every gas that vanished. ExoMars Trace Gas Orbiter arrived in 2016 and brought sensitive atmospheric spectroscopy. Its methane non-detections sharpened rather than closed the conflict with Curiosity's local measurements.

InSight landed in 2018 and placed a seismometer on the ground. Wind shields and careful installation allowed it to detect more than 1,300 seismic events before dust-covered solar panels ended operations in 2022. Mars ceased to be known only from surface shape and gravity. Seismic waves constrained the crust, mantle and core, while later analysis continued to revise the interior model. A failed attempt to hammer a heat-flow probe into unexpectedly cohesive soil also reminded researchers that one landing site can defeat a device designed from incomplete ground properties.

A flying scout and a sample cache

The United Arab Emirates' Hope orbiter, China's Tianwen-1 mission and NASA's Mars 2020 mission all reached Mars in February 2021. Hope studied the atmosphere on broad daily and seasonal scales. Tianwen-1 combined an orbiter, lander and the Zhurong rover, making China the second country to operate a rover successfully on Mars. Perseverance entered Jezero crater, where orbital images showed a river delta within an ancient lake basin.

Perseverance carried Ingenuity under its belly. The 1.8-kilogram helicopter had been approved for five demonstration flights. Its first, on 19 April 2021, lasted less than a minute. The achievement was narrow and exact: controlled powered flight in an atmosphere about one per cent as dense as Earth's at the surface, using large fast-turning rotors and autonomous control. The demonstration then became an operational scout. Ingenuity flew 72 times before blade damage on landing ended the mission in January 2024.

The rover's central task was slower. It abraded rocks, mapped fine-scale chemistry and mineralogy, drilled cylindrical cores and sealed selected samples in metal tubes. At Cheyava Falls in 2024, its instruments found organic-carbon-bearing mudstone with nodules and reaction fronts enriched in iron phosphate and sulphide minerals. The peer-reviewed interpretation published in 2025 called the association a potential biosignature. The wording preserved the next step: the sample named Sapphire Canyon was sealed for analysis that Mars-based instruments could not complete.

The unfinished hand-off

By September 2026, Curiosity and Perseverance remained active. Odyssey, Mars Reconnaissance Orbiter, Mars Express and Trace Gas Orbiter supplied orbital science and much of the relay network. Hope was extended through 2028. ESCAPEDE, launched in November 2025, was on a trajectory scheduled to use an Earth gravity assist in November 2026 before a planned September 2027 Mars arrival to study the interaction between solar wind and atmosphere.

The fleet looked continuous because old spacecraft kept working. That is useful and fragile. Relay orbiters age; one lost link can reduce data volume and landing support. NASA's September 2026 contract for a dedicated telecommunications orbiter recognised communications as infrastructure rather than an incidental function carried by science missions.

The sample cache makes the next decision unavoidable. NASA and ESA's earlier Mars Sample Return design became too costly and slow to proceed unchanged. In January 2025 NASA announced two alternative landing approaches and said one programme design would be confirmed in the second half of 2026. No public confirmation had appeared by 4 September. China, meanwhile, announced a Tianwen-3 architecture using two launches and aiming at a return around 2031. Both efforts still have to perform the first rocket launch from Mars and a protected delivery to Earth.

Rosalind Franklin occupies a different branch. ESA scheduled the rover for launch late in 2028, with a drill designed to reach as deep as two metres

where possible evidence has been better shielded from radiation and surface oxidation. It will analyse material on Mars rather than return it.

Human missions remain architectures and ambitions rather than manifests. NASA uses lunar missions and annual Moon to Mars studies to identify capabilities and dependencies. SpaceX proposes reusable heavy transport, orbital refilling and eventual large-scale settlement. Neither has yet landed human-class cargo on Mars, produced ascent propellant there or operated a crew habitat through a full mission cycle. The chronology ends where the plan begins: with real machines, incomplete hand-offs and a planet that keeps turning claims into tests.

How we know

No human has inspected Mars directly. Nearly every physical claim comes from telescopic light, meteorites identified by their chemistry and trapped gases, or instruments carried by spacecraft. Orbiters provide global context but infer composition and structure from spectra, radar, gravity, neutrons and images. Landers and rovers touch tiny, selected areas with instruments constrained by mass, power, contamination control and fixed analytical methods.

Dating is mainly relative. Researchers count impact craters, compare overlapping landforms and anchor models with lunar chronology; no Martian rock has yet been returned for high-precision laboratory dating.

The absence of returned samples matters because crater-count chronology depends on assumed impact rates and resurfacing. A volcanic plain, buried delta and eroded valley can preserve different clocks. The resulting ages are ranges and model ages, useful for ordering events but less exact than laboratory dates from rocks collected from a mapped geological context.

Climate histories combine landform sequence, mineral chemistry, atmospheric isotopes and models that can fit the evidence in more than one way.

Life claims face the hardest limit. Instruments can detect molecules,

minerals and textures, but biological and non-biological processes overlap. Sample return would expand the available tests while introducing containment and contamination demands. Current mission status and programme schedules were rechecked to 4 September 2026. They will change faster than the planet described here.

What People Get Wrong

"Mars is Earth's twin"

Mars is the planet whose resemblance survives a photograph. It has solid ground, clouds, seasons, ice and a near-terrestrial day, so calling it a twin feels like useful compression.

Mars even has about as much surface area as Earth's exposed land, a comparison that makes maps of future states and cities feel plausible. Yet surface area is geometry, not carrying capacity. The comparison hides the variables that matter to bodies and machines. Surface gravity is about 38 per cent of Earth's. At most landing elevations, surface pressure is under one per cent of Earth's sea-level value, and the gas is mostly carbon dioxide. There is no global magnetic field, stable open water or breathable ecosystem. A warm afternoon reading does not make the thin air warm a person, because it carries little heat. The familiar-looking regolith is not soil in the biological sense.

Venus is closer to Earth in size and gravity yet hostile for opposite reasons. Mars is easier to imagine standing on, not more Earth-like in every important measure. The label also distorts public argument: critics answer an imagined paradise while advocates answer an imagined death trap, and neither side has to specify a mission. The correction matters because plans inherit analogies. Treating Mars as a cold desert encourages equipment, health and settlement assumptions that fail when pressure, radiation, chemistry and supply are restored to the model.

"The canals were only a mistranslation"

Schiaparelli's canali did become canals in English, and the stronger word encouraged engineering. That account is true and incomplete. A translation error cannot draw thousands of lines through several observers' telescopes, fund Lowell's observatory or sustain decades of argument.

The canals were a system produced by several causes. Mars was observed near the limit of resolution. Eyes connect intermittent marks. Maps rewarded continuity. Contemporary engineering made planetary canals culturally plausible. Lowell selected, repeated and interpreted the lines as evidence of a coordinated civilisation. Other astronomers failed to see his network or saw irregular detail instead, and better observations gradually removed its physical basis. The lines also behaved suspiciously like perception: they became cleaner when drawings were copied and less orderly when seeing improved.

Reducing the episode to vocabulary makes modern readers feel immune: correct the word and the error disappears. The deeper lesson is that instruments, perception, prior expectation and persuasive institutions can stabilise one another. Schiaparelli did not discover a civilisation and then lose it in translation. A thin observation was given a thick world.

"Ancient water means ancient life"

Rivers, lake deposits, deltas and water-altered minerals make early Mars a serious astrobiological target. On Earth, water and life are so closely linked that the inference feels modest.

Water establishes only one part of habitability. Temperature, chemical energy, salinity, acidity, radiation, nutrient availability and duration also matter. A flood across frozen ground, an acidic brine and a long-lived neutral lake leave water evidence while offering different biological prospects. Even an excellent habitat can remain unoccupied if life never originates or never reaches it. Preservation is a separate filter again: a living lake may leave no signal that survives billions of years of radiation, oxidation and rock alteration.

Mars has supplied environments in which known terrestrial microbes could plausibly have functioned. That is a result, not a discovery of organisms. The distinction directs missions towards rocks likely to preserve cells, textures, isotope patterns or metabolic chemistry rather than towards any channel on a map. It also prevents a later non-detection from erasing the geological achievement. A once-habitable Mars would still transform planetary science if it remained lifeless.

"Viking proved Mars is sterile"

Viking's biology package is often compressed into a clean negative because no accepted Martian organism emerged from it. The landers did not sterilise a world by experiment. They sampled small amounts of near-surface material at two sites with tests designed before Martian soil chemistry was understood. The irradiated, oxidising surface was also one of the least protected places to seek long-preserved organic evidence.

One experiment produced a response resembling metabolism after labelled nutrients were added. Other results and the failure to detect expected organics favoured non-biological explanations. Later discovery of perchlorates showed that heating Martian samples can alter organic compounds, weakening one part of the old inference. It did not retroactively establish life.

The supported conclusion is narrower: Viking found enigmatic chemical activity and no clear evidence of living microorganisms near its landing sites. Mars may be sterile, may preserve ancient life, or may shelter present life in settings Viking never reached. The correction matters because both camps can misuse ambiguity. An inconclusive test is neither a positive result suppressed by orthodoxy nor a universal negative.

"Methane is evidence of biology"

Methane attracts attention because much of Earth's supply is biological and because it should not persist indefinitely in the Martian atmosphere. A detection could indicate a current source. It would not name that source.

Rock-water reactions, ultraviolet chemistry, release from stored material and possible biology can all enter the explanation. The measurement record is also internally difficult. Curiosity has measured low local concentrations and variations over time in Gale crater. ExoMars's Trace Gas Orbiter, examining long atmospheric paths, found no methane down to limits below some rover reports. Place, altitude, time, method and atmospheric mixing are not interchangeable. A short-lived local release, an unknown rapid destruction process or an instrument effect would make different predictions, and none has yet supplied a settled reconciliation.

The discrepancy is scientifically valuable because ordinary models do not yet reconcile it. Calling the gas biological skips the source problem and the measurement problem together. Calling all detections mistaken skips them in the opposite direction. Until independent observations connect a plume to a process, methane is a tracer with competing origins, not a biosignature on its own.

"We already know how to settle Mars"

Every visible component has a terrestrial ancestor. Rockets fly, submarines recycle air, polar stations survive isolation, nuclear reactors make steady power, greenhouses grow crops and robots mine. Put the boxes beside a Mars landscape and the settlement can look like procurement.

The missing work is integration under Martian conditions and over Martian intervals. MOXIE made oxygen, but not tonnes of cryogenic oxidiser while unattended. Orbiters map ice, but no machine has excavated, cleaned and stored useful water there. Life-support systems operate in orbit with regular resupply and emergency return. No crew has lived for years at 38 per cent gravity, and no closed habitat has operated with Mars's combination of dust, delay and absent rescue. Heavy cargo has not been landed, and no ascent vehicle has launched from Mars.

Analogue habitats test procedures, conflict and equipment layouts; they do not reproduce low gravity, radiation, vacuum-like pressure or delayed rescue. Settlement is not a collection of technologies whose names exist. It

is a maintained service whose failures have been made compatible.

"A launch date is a plan"

Dates are easy to compare, which gives them more authority than they deserve. An agency schedule, funded mission milestone, corporate target, advocacy scenario and artist's caption can all appear in the same graphic as though they were equivalent promises.

A plan identifies hardware, mass, interfaces, funding, decision authority, tests, suppliers, contingencies and a response to missed windows. A Mars plan must also close communications, landing, surface power, maintenance, ascent and return. Each link needs an owner and a test condition; otherwise the schedule merely hides assumptions inside arrows. NASA describes its Moon to Mars Architecture as a capability blueprint rather than a mission or manifest. China's Tianwen-3 sample-return date is an announced mission aim still dependent on launches and novel operations. SpaceX's settlement dates are company ambitions dependent on systems that have not flown to Mars.

Mars history contains many dates that moved, vanished or survived only because a preceding machine lasted longer than expected. Delay alone does not prove incompetence; an unchanged date does not prove readiness. A date can motivate engineering and still fail as evidence. The practical question is what has been selected, funded, built, tested at relevant scale and given a recoverable failure path. Calendars reveal intent. Closed interfaces reveal readiness.

Use It

Separate resemblance from operating conditions

Mars looked enough like Earth to make generations fill the missing detail. The same error appears whenever a new place, market, technology or institution shares visible features with something familiar. The analogy arrives before the operating conditions.

Start by naming the resemblance, then list the variables that could break it. A Martian day is close to an Earth day, while pressure, radiation and supply are not close. A platform may resemble a marketplace while controlling discovery and access. A new country may resemble an existing market while its law, infrastructure and payment system differ. The useful question is not what is this like. It is which part is like it, under what measurement, and what changes when the hidden variables return.

This does not forbid analogy. It makes analogy testable. Lowell's canals survived because each uncertain mark was interpreted inside one complete picture. Split the picture into claims and the confidence becomes proportionate. Check the denominator too: same area, same temperature or same output can conceal different pressure, duration, energy cost or failure exposure.

Read the evidence ladder

Mars research forces distinctions that ordinary discussion collapses. A river channel supports past flowing material. A delta strengthens the case for sustained deposition by water. Clay can indicate water-rock interaction. A habitable lake adds conditions compatible with life. Organic molecules add carbon chemistry. A potential biosignature adds a pattern for which biology is one live explanation. None of those steps is a confirmed organism.

Use the same ladder elsewhere. Separate observation from interpretation, interpretation from cause, cause from universality, and universality from prescription. A sales rise after a campaign is an observation. Attribution to the campaign is a causal claim. Confidence that the method will transfer to another market is an external-validity claim. A decision to spend more is a judgement about costs and alternatives.

Ask what evidence would move the claim one rung higher and what non-target process could produce the same signal. For a non-detection, ask what concentration, depth, molecule or duration the instrument could have missed. Absence is meaningful only inside a detection limit. That is how Viking's ambiguous chemistry, Curiosity's organics and Perseverance's

reaction fronts remain informative without becoming verdicts.

Find the weakest closed loop

A Mars mission is a sequence of energy, information and material transfers. Launch must lead to cruise, arrival to landing, landing to power, work to communications, and surface operations to ascent or an accepted end state. The reliability of one brilliant component cannot compensate for an open return path.

When judging a plan, draw the loop from commitment back to safety. For a sample, follow selection, drilling, sealing, retrieval, ascent, rendezvous, Earth entry and containment. For a crew, add food, water, pressure, heat, medical response, maintenance and rescue. Then find the step described with the vaguest verb: enable, support, provide, facilitate. Vague verbs often sit where hardware, ownership or failure response is missing.

The lesson travels. A project that acquires customers but cannot deliver is open. A policy that creates an entitlement without administration is open. A data system that collects records without correction or deletion is open. The plan is governed by the least mature indispensable link, not the most photogenic achievement. It is also governed by common dependencies. Two independent surface systems are not independent if both need one relay, one power bus or one irreplaceable valve.

Classify the claim by maturity

The Mars conversation places deployed spacecraft, approved missions, laboratory prototypes, architecture studies and corporate ambitions beside one another. They need different verbs.

Operating means the system is performing its task in the target environment. Demonstrated means a bounded principle worked under stated conditions. Selected means an organisation committed to a design and resources, subject to later change. Proposed means a coherent option exists. Aspirational means someone has stated an outcome or date. These categories can overlap, but they are not interchangeable. Nor do they form a

guaranteed staircase: a demonstration may expose a dead end, while a mature terrestrial system may need redesign for the target environment.

MOXIE operated as a demonstration on Mars. It did not operate as a propellant factory. NASA's architecture identifies needed capabilities but calls itself neither mission nor manifest. An announced sample-return year describes intent until launch vehicles, landers, ascent hardware and budgets pass their gates.

Apply the verbs before comparing timelines. A distant operating asset may deserve more confidence than a nearer aspiration. Progress becomes less exciting on paper and more meaningful in reality.

Price the maintenance interval

Settlement art shows completed objects. Mars operations reveal services degrading over time. Dust accumulates, bearings wear, seals leak, filters load, batteries fade and software encounters states its designers did not predict. The next replacement may be one launch window and many months away.

For any remote or critical system, ask how long it can operate after the first failure, the second failure and the loss of resupply. Identify the diagnostic path, spare parts, tools, skills, power and safe degraded mode. A component with a ten-year design life can still be a poor choice if its controller cannot be replaced. Redundancy can fail too when duplicated units share the same flaw, environment or maintenance procedure. Compare time to detect and repair with time to harm, not only mean time between failures.

This lens changes the meaning of local production. Making oxygen, water or parts matters when output is reliable, quality can be checked and the production equipment can itself be maintained. A one-off object proves less than a repair chain. On Mars, independence is measured in tolerated interruption rather than flags or population.

The limits

Mars does not supply a universal answer about exploration. Scientific value, national strategy, commercial opportunity, human aspiration and species-level insurance are different arguments. A strong case in one category does not settle the others. Robotic science can be excellent without proving that crews are necessary. Human missions can produce distinctive judgement and attention without making permanent settlement wise. A future capability may change the balance.

The planet is also a poor blank for moral certainty. There is no known Martian population whose interests can be consulted, but there may be scientifically valuable environments vulnerable to contamination. Avoiding all contact would preserve more and learn less. Expanding quickly could destroy the distinction between indigenous and imported biology. Planetary-protection rules are attempts to manage that trade, and their thresholds change with evidence. A future settlement would also alter the baseline against which every later biological measurement is judged.

No one-hour account can settle early climate, life, long-term partial-gravity health, settlement law or programme cost. Current mission schedules are snapshots. The useful restraint is not permanent scepticism. It is matching confidence to the claim and updating when a flight, sample or failure changes the evidence.

The one thing to keep

Keep the unclosed link.

For centuries, Mars rewarded completion. A faint line became a canal; a canal became a civilisation; a river became life; a successful landing became a route for people; a date became a future. Each step removed an uncertainty in language before evidence had removed it in the world.

The best Mars science works in the other direction. It preserves the gap. Viking's response was recorded without being forced into life or sterility. Organic matter became evidence of chemistry, then a target for stronger

tests. Cheyava Falls was called a potential biosignature because the word potential contains the work still owed. Engineers call out interfaces, margins, failure modes and test conditions because naming what has not closed is how they stop it killing the mission.

That habit should change how you see plans. The missing link is not an embarrassment to hide behind confidence. An exposed uncertainty can be assigned, tested and funded; a hidden one can only arrive as surprise. It is the location of the next honest question. Ask what connects the claim to the outcome, what would have to survive, who owns the hand-off, and what happens when it fails.

Mars began as the planet we completed from a distance. It has become the planet that teaches us not to.

Terms

Sol. A Martian solar day, lasting about 24 hours 39 minutes. Surface missions count operations in sols because light, temperature, power and communications follow the local day.

Opposition. The alignment in which Earth lies between Mars and the Sun. Mars then appears large and bright, making favourable oppositions important in the history of telescopic observation.

Synodic period. The time for Earth and Mars to return to the same relative alignment, about 780 days. It produces the roughly twenty-six-month rhythm of efficient launch opportunities.

Regolith. Loose dust, sand and broken rock covering solid bedrock. Martian regolith is not biological soil and can contain oxidants, salts and abrasive grains relevant to science and machinery.

Areoid. Mars's gravitational reference surface, comparable in purpose to Earth's geoid. Heights need a common datum, which is why simple claims about a mountain's height can differ. The zero level is derived from gravity and planetary shape rather than an absent sea.

Albedo. The fraction of incoming light a surface reflects. Changing dust, frost and viewing conditions altered Martian brightness patterns and helped early observers mistake surface contrast for fixed geography.

Hemispheric dichotomy. The broad division between lower, smoother northern plains and higher, older, heavily cratered southern terrain. Its origin remains disputed and it shaped later water and sediment movement.

Tharsis. A vast volcanic and tectonic rise carrying several giant volcanoes. Its mass deformed the crust, influenced drainage and helped create the fractures associated with Valles Marineris.

Olympus Mons. Mars's immense shield volcano and the largest known volcano in the solar system. Its quoted height depends on datum and baseline, so local relief and reference elevation must be distinguished.

Valles Marineris. A rift and canyon system about 3,870 kilometres long. Tectonic stretching, collapse, landslides and erosion shaped it; a single river did not carve a larger Grand Canyon.

Noachian. The oldest major Martian geological period, represented by heavily cratered terrain and widespread evidence of water alteration. Its exact dates depend on crater-based chronology models.

Hesperian. The period after the Noachian, marked by extensive volcanism, enormous outflow channels and sulphate-bearing environments as surface conditions became generally colder and drier.

Amazonian. The youngest major Martian period, continuing to the present. It is dominated by cold, dry conditions while retaining volcanism, ice movement, dust activity and local surface change.

Valley network. A branching system of ancient channels, often resembling terrestrial drainage basins. It records flowing water or melt but does not by itself establish a warm global climate.

Delta. Sediment deposited where flowing water lost speed on entering a basin. A preserved delta can record lake levels, current direction, sediment

sources and potentially habitable environments.

Hydrated mineral. A mineral whose crystal structure contains water or hydroxyl. Clays and other hydrated phases record water-rock reactions even after the original liquid has disappeared.

Perchlorate. A chlorine-oxygen salt found in Martian soil. It can affect water stability, human processing and organic analysis, especially when heated inside some instruments.

Organic molecule. A carbon-bearing compound of the kind used by life but also produced without it. Martian organics are evidence of chemistry and preservation, not organisms on their own.

Habitability. The capacity of an environment to support a specified form of life. Water helps, but temperature, energy, chemistry, duration and protection determine whether the label is warranted.

Biosignature. A substance, structure or pattern that might have a biological origin. Confidence rises only when context and independent tests discriminate biology from non-biological alternatives and contamination.

Technosignature. Observable evidence of technology rather than biology, such as an engineered signal or structure. Lowell treated supposed canals as one before the underlying features had been established.

Launch window. A period when planetary geometry permits a useful trajectory within available energy and mass. Missing a Mars window can postpone a mission by more than two years.

Solar conjunction. The period when Mars appears near the Sun from Earth. Solar interference degrades radio links, so spacecraft receive prepared instructions and commanding is reduced.

Entry, descent and landing. The sequence that turns interplanetary arrival speed into a controlled surface stop. Heat shields, guidance, parachutes, radar and rockets must perform without real-time help from Earth.

Aerobraking. Repeated use of atmospheric drag to lower and reshape an

orbit while spending little propellant. Mars orbiters have used it, with careful control of uncertain atmospheric density.

Supersonic retropropulsion. Firing descent engines while the vehicle still moves faster than sound through the atmosphere. It is a leading approach for landing masses beyond practical parachute capability.

In situ resource utilisation. Producing useful materials from local resources. On Mars this can include oxygen from atmospheric carbon dioxide and water from ice, provided extraction and maintenance also work.

Sample return. A linked campaign that collects material, launches it from another world and delivers it to controlled laboratories. The chain adds ascent, rendezvous, containment and contamination requirements.

Planetary protection. Policies and engineering intended to preserve scientific environments and protect Earth. Requirements vary by destination, mission type and the possibility of encountering or returning biological material.

Forward and backward contamination. Forward contamination carries terrestrial organisms or organics to another world. Backward contamination brings potentially hazardous extraterrestrial material to Earth; the two risks require different controls.

Go Deeper

The search for life. Sarah Stewart Johnson, *The Sirens of Mars: Searching for Life on Another World* (Crown, 2020). Begin here for the human and scientific history of looking for life. Johnson is a planetary scientist who worked with Mars rover missions, and she treats discarded hypotheses as part of discovery rather than as a procession of embarrassments. The book moves between field science, instruments and the people drawn to the planet. Its personal, lyrical approach is different from this book's systems model, which makes it a useful next step rather than a longer duplicate. The scientific frontier has moved since 2020, so treat its mission present tense as historical and its account of method as durable.

The making of a world. Oliver Morton, *Mapping Mars: Science, Imagination, and the Birth of a World* (Fourth Estate, 2002). Morton explains how telescopes, spacecraft, cartography, geology and fiction constructed the Mars available to human thought. It is especially strong on the transition from distant markings to named landscapes and on the researchers who learned to read a planet nobody had visited. The mission record has advanced since publication, but the account of how measurement and imagination interact remains one of the best in popular science. It is long and densely peopled, yet the structure rewards reading by place rather than by launch date.

The machine. Emily Lakdawalla, *The Design and Engineering of Curiosity: How the Mars Rover Performs Its Job* (Springer Praxis Books, 2018). Read this when a rover has stopped looking like a six-wheeled box and you want to know what every system is doing. Based on extensive interviews with the people who built and operate Curiosity, it follows power, computing, mobility, cameras, sampling and surface operations down to their interfaces. It is a reference book rather than a quick narrative, but patient browsing repays the effort and strips away the magic from competent engineering. Start with mobility and sampling, then use the remaining chapters when a mechanism in mission coverage seems suspiciously effortless.

The settlement claim. Kelly Weinersmith and Zach Weinersmith, *A City on Mars: Can We Settle Space, Should We Settle Space, and Have We Really Thought This Through?* (Penguin Press, 2023). This is the corrective to confident colony schedules. It examines biology, reproduction, agriculture, law, labour and conflict across off-world settlement, so much of it ranges beyond Mars. The tone is comic and the conclusion sceptical, sometimes deliberately so. Read it for the neglected dependencies and governance questions, then separate obstacles needing research from arguments against haste. Its strongest contribution is to make human settlement answer the same evidential questions that robotic missions already face.

Notes and Sources

The notes follow the order of the book. Physical values are rounded where a more exact figure would suggest a constancy that Mars does not have. Mission status, programme language and policy were checked against current institutional sources on 4 September 2026.

The Whole Thing in One Page and Why You Should Care

Physical Mars. NASA Science's *Mars: Facts*, updated 10 July 2026, supports the day, year, axial tilt, broad scale, surface colour, ancient-water features, atmosphere and topography used here. The near-surface pressure varies substantially with elevation, season and weather. The text therefore says that it is usually below one per cent of Earth's sea-level pressure rather than assigning one pressure to the whole planet. Surface gravity is about 3.7 metres per second squared, or 38 per cent of Earth's. The atmosphere is about 95 per cent carbon dioxide, with nitrogen and argon as the next largest constituents.

Mars as an almost-Earth. The comparison with Earth's exposed land area is geometrical and comes from NASA's planetary fact material. It is deliberately separated from habitability. The book does not infer usable land, carrying capacity or settlement value from area alone.

The hand-coloured Mariner image. The Jet Propulsion Laboratory's historical account of Mariner 4 records that numerical brightness values were printed and coloured by hand while formal computer processing was still under way. This was an early visualisation of digital spacecraft data, not the spacecraft transmitting coloured squares. Mariner 4 returned 21 complete images and part of a twenty-second from a narrow strip of Mars.

Canali and canals. Schiaparelli used *canali*, a word available for channels or grooves and not an assertion of engineering. Translation mattered, but it did not cause the episode alone. K. Maria D. Lane, William Sheehan and Oliver Morton trace the interaction among limited resolution, visual grouping,

map-making, contemporary canal culture and Percival Lowell's public programme. Lowell's observatory dates to 1894. His principal Mars books appeared in 1895, 1906 and 1908. H. G. Wells's *The War of the Worlds* appeared in book form in 1898.

Sources for the Core Ideas

The red surface and major landforms. NASA's planetary overview supports iron oxidation as the source of the broad red appearance and gives Valles Marineris a length of about 3,870 kilometres and maximum rim-to-floor depth near 9.3 kilometres. Olympus Mons is the largest known volcano in the solar system. Published heights vary because authors measure from different reference surfaces and baselines. The manuscript avoids one falsely definitive height.

Hemispheric dichotomy. The division between the lower northern plains and older, higher southern terrain is observed. A giant impact and internal processes are among the leading explanations, but the origin is not settled. The text does not promote one hypothesis to fact.

Ancient climate. Valley networks, deltas, lake deposits and water-altered minerals establish repeated liquid-water activity. They do not establish one continuously warm global ocean. Kite and Conway's 2024 synthesis argues that rivers and lakes occurred across more than a billion years and identifies evidence consistent with several major climate transitions. The competing pictures include a broadly clement early climate, cold conditions interrupted by melting, and movement among climatic states. The disagreement affects duration and continuity, which are relevant to habitability.

Atmospheric escape and crustal storage. MAVEN observations establish present escape processes and constrain long-term atmospheric evolution, but they do not yield one measured percentage for all atmosphere or water ever lost. Scheller and colleagues coupled isotopic and geological constraints in a model that allowed crustal hydration to sequester an estimated 30 to 99 per cent of Mars's initial water inventory. That wide interval is model-dependent. It is retained to block the misleading claim that

all missing water escaped to space, not to assert a measured hidden ocean.

Geological periods. Noachian, Hesperian and Amazonian boundaries are based chiefly on crater-count chronology and mapped geological relations. Their numerical ages vary by chronology model. The glossary explains the sequence without presenting disputed boundary dates as exact.

Viking. Each lander carried the labelled-release, gas-exchange and pyrolytic-release experiments, alongside an instrument seeking organic compounds. The biology package produced unexpected responses, while the combined mission found no clear evidence of microorganisms at either site. Later discovery of perchlorate and experiments on heated Martian analogue material showed that Viking's organic analysis could have transformed some compounds. This weakens a clean negative inference from one instrument; it does not validate a biological interpretation of labelled release.

Curiosity organics. Curiosity established a past habitable fluvial-lacustrine environment at Yellowknife Bay and detected organic matter preserved in ancient mudstone. Freissinet and colleagues reported decane, undecane and dodecane in 2025 using a modified analysis of the Cumberland sample. Their precursor molecules and ultimate origin remain uncertain. The book therefore calls them preserved carbon chemistry, not evidence of organisms.

Methane. Curiosity has reported low local methane and variability at Gale crater. Korabev and colleagues reported no methane in early Trace Gas Orbiter occultation observations, with limits far below some earlier positive detections. The measurements differ in location, vertical sensitivity, time and method. An unknown rapid removal process, local release or measurement problem could contribute. No biological source is inferred.

Cheyava Falls. Hurowitz and colleagues reported organic-carbon-bearing mudstones in the Bright Angel formation containing nodules and reaction fronts enriched in ferrous iron phosphate and iron sulphide minerals, likely vivianite and greigite. Low-temperature redox reactions are supported;

biological and non-biological origins remain possible. The authors use the term potential biosignature. The book preserves that category and does not call the result a life detection.

Transfer geometry and delay. The roughly 780-day synodic period produces efficient opportunities about every 26 months. Other trajectories are physically possible at different energy, mass and timing costs. The common six-to-nine-month cruise range describes many chemical-propulsion mission designs, not a fixed travel time. NASA's Mars Relay Network gives one-way light time across planetary positions at roughly three to twenty-three minutes. Solar conjunction reduces reliable commanding.

Entry, descent and landing. NASA's Mars 2020 record supports an atmospheric-entry speed near 20,000 kilometres per hour, a roughly seven-minute sequence and parachute deployment above 1,500 kilometres per hour. Braun and Manning describe the continuing mass-scaling problem for Mars entry and landing. Supersonic retropropulsion is treated as a leading human-class approach, not a system already qualified on Mars.

Habitability systems. MOXIE completed 16 runs, produced 122 grams of oxygen in total and reached 12 grams per hour with oxygen at least 98 per cent pure. Those are NASA's final experiment figures. The comparison with ascent demand is order-of-magnitude only: human mission studies commonly require oxidiser measured in tens of tonnes, while exact mass depends on vehicle and architecture. The text does not scale MOXIE's intermittent performance linearly into a factory.

Water ice. Orbital neutron, radar and thermal mapping supports widespread buried ice at northern mid-latitudes, with some mapped deposits potentially within the upper metre. Resolution, depth uncertainty, soil properties, purity, landing safety and extraction energy remain material. A map of likely ice is not a mining demonstration.

Dust. Mechanical abrasion, adhesion, optical effects and chemical composition are supported by lander and rover experience. NASA's 2026

Martian Dust Limit Working Group developed an initial 30-day exposure limit using rover chemistry, simulants and lunar toxicology because no authentic airborne Martian dust sample has been returned. The body therefore calls the health risk partly unresolved and focuses on containment and filtration.

Sources for How It Actually Works

Early spacecraft. NASA and JPL mission histories supply the chronology and operating outcomes of Mariner 4, Mariners 6 and 7, Mariner 9, Viking, Pathfinder, Mars Global Surveyor, Odyssey, the Mars Exploration Rovers, Phoenix, Curiosity, InSight, Perseverance, Ingenuity and MAVEN. Soviet Mars 3 achieved the first soft landing in December 1971 and transmitted for about fifteen seconds. The phrase soft landing describes arrival, not sustained operation.

Mariner 9. It became the first spacecraft to orbit another planet in November 1971 and arrived during a planet-obscuring dust storm. Its programmable digital imaging and long orbital campaign allowed it to wait for clearing and reveal volcanoes, canyons, channels and changing atmospheric conditions. More than 7,000 images covered about 85 per cent of Mars.

Pathfinder and Sojourner. NASA's mission account records more than fifteen bounces, heights up to about fifteen metres and a roll of roughly a kilometre before rest. Sojourner operated for 83 sols against a seven-sol technology-demonstration plan. These figures describe one landing system and do not establish a general airbag capability for larger payloads.

Mars Climate Orbiter. The 1999 mishap investigation found that one ground-software product supplied impulse data in pound-force seconds while the navigation software expected newton seconds. The manuscript treats this as an interface-control failure rather than a joke about one mistaken conversion.

Spirit, Opportunity and Phoenix. NASA mission records support the planned 90-sol rover missions, Spirit's work for more than six years, Opportunity's drive beyond 45 kilometres and loss during the 2018 global dust event, and Phoenix's exposure of subsurface ice and detection of

perchlorate. The causes and significance of individual mineral deposits are described at the level supported by mission publications.

Curiosity operations. Grotzinger and colleagues support the Yellowknife Bay habitability claim. Eigenbrode and colleagues and Freissinet and colleagues support organic-matter claims. Operational description draws on Emily Lakdawalla's engineering account and NASA/JPL mission documentation. The book makes explicit that rover observations cover selected sites and depend on fixed instruments and Earth-planned command cycles.

InSight. NASA's end-of-mission account records more than 1,300 detected seismic events and loss of usable solar power in 2022. Interior estimates have changed as waves have been reanalysed. The book retains the durable result, a seismically constrained crust, mantle and core, without fixing a single core model that later work may revise.

Ingenuity. NASA's final mission record gives 72 flights. Blade damage during the landing of its last flight ended operations in January 2024. Its achievement was controlled powered flight and later scouting at small scale. No cargo-aircraft inference is made.

The Unfinished Hand-off and the Plan

Operating assets. NASA's Mars Relay Network and mission pages listed Curiosity, Perseverance, Mars Odyssey and Mars Reconnaissance Orbiter as operating on 4 September 2026. ESA listed Mars Express and Trace Gas Orbiter in operation, with TGO continuing relay support. The UAE Space Agency announced in July 2026 that Hope's mission had been extended through 2028. NASA declared MAVEN ended on 3 June 2026 after loss of signal on 6 December 2025.

ESCAPADE. NASA launched the two spacecraft in November 2025. Their trajectory first loops through a distant Earth orbit before an Earth gravity assist in November 2026, with Mars arrival scheduled for September 2027. The book says they were travelling towards a planned arrival, not on a direct transfer throughout.

Mars telecommunications. On 1 September 2026 NASA awarded Blue Origin a firm-fixed-price contract with a maximum potential value of about US\$700 million to develop, launch and operate a Mars telecommunications orbiter. Delivery is due no later than 31 December 2028 and operation at Mars is expected by 2030. This is an awarded development contract, not deployed infrastructure.

Mars Sample Return. NASA announced on 7 January 2025 that it would examine two landing architectures and expected to confirm one programme design in the second half of 2026. NASA and JPL still described Mars Sample Return as proposed on 4 September 2026, and no later official design confirmation was located. The statement in the body is limited to the public record at that date. Budget, partners and architecture can change rapidly.

Rosalind Franklin. ESA scheduled launch between October and December 2028 and designed the rover to drill as deep as two metres. Its approximately two-year transfer is mission-specific and chosen partly for a favourable landing season. The book does not use that unusual cruise to contradict the common six-to-nine-month range for other designs.

Tianwen-3. The China National Space Administration described a five-part system, two Long March 5 launches around 2028 and a possible sample return around 2031. These are official announced aims. The mission has not yet launched, and the dates are not presented as guarantees.

NASA architecture and SpaceX. NASA states that the Moon to Mars Architecture is not a mission, a manifest or a requirements set. SpaceX's current corporate pages describe reusable Starship transport, on-orbit refilling and a large Mars settlement. Those are company plans and targets. The book does not convert advertised payload, flight-rate, price or settlement claims into verified Mars capability.

Planetary protection. The COSPAR policy approved in November 2025 and published in 2026 distinguishes forward and backward contamination and applies different categories by mission type and destination. It is a

voluntary international standard used by agencies to help implement treaty duties. NASA announced the M-FORCE review on 28 August 2026, with work planned from September to November. The body says that thresholds and assumptions are under review, not that existing rules have disappeared.

Governance. Articles II, VI and IX of the 1967 Outer Space Treaty support the statements on national appropriation, state responsibility for governmental and non-governmental activities, and harmful contamination. The treaty does not settle every question about private resource use, settlement government, labour, rescue or environmental stewardship. Those are identified as open practical and legal questions, not answered here.

Bibliography

Primary and original sources

Lowell, Percival. *Mars*. Boston: Houghton, Mifflin and Company, 1895.

Lowell, Percival. *Mars and Its Canals*. New York: Macmillan, 1906.

Lowell, Percival. *Mars as the Abode of Life*. New York: Macmillan, 1908.

United Nations. *Treaty on Principles Governing the Activities of States in the Exploration and Use of Outer Space, including the Moon and Other Celestial Bodies*. Opened for signature 27 January 1967; entered into force 10 October 1967.

Wells, H. G. *The War of the Worlds*. London: William Heinemann, 1898.

Scientific and technical studies

Braun, Robert D., and Robert M. Manning. "Mars Exploration Entry, Descent and Landing Challenges." *Journal of Spacecraft and Rockets* 44, no. 2 (2007): 310-323. doi:10.2514/1.25116.

Eigenbrode, Jennifer L., et al. "Organic Matter Preserved in 3-Billion-Year-Old Mudstones at Gale Crater, Mars." *Science* 360, no. 6393 (2018): 1096-1101. doi:10.1126/science.aas9185.

Ehlmann, Bethany L., and Christopher S. Edwards. "Mineralogy of the Martian Surface." *Annual Review of Earth and Planetary Sciences* 42 (2014): 291-315. doi:10.1146/annurev-earth-060313-055024.

Freissinet, Caroline, et al. "Long-Chain Alkanes Preserved in a Martian Mudstone." *Proceedings of the National Academy of Sciences* 122, no. 13 (2025): e2420580122. doi:10.1073/pnas.2420580122.

Grotzinger, John P., et al. "A Habitable Fluvio-Lacustrine Environment at Yellowknife Bay, Gale Crater, Mars." *Science* 343, no. 6169 (2014): 1242777. doi:10.1126/science.1242777.

Hecht, Michael H., et al. "Detection of Perchlorate and the Soluble Chemistry of Martian Soil at the Phoenix Lander Site." *Science* 325, no. 5936 (2009): 64-67. doi:10.1126/science.1172466.

Hecht, Michael H., et al. "Mars Oxygen ISRU Experiment (MOXIE)." *Space Science Reviews* 217 (2021): 9. doi:10.1007/s11214-020-00782-8.

Hurowitz, Joel A., et al. "Redox-Driven Mineral and Organic Associations in Jezero Crater, Mars." *Nature* 645 (2025): 332-340. doi:10.1038/s41586-025-09413-0.

Kite, Edwin S., and Susan Conway. "Geological Evidence for Multiple Climate Transitions on Early Mars." *Nature Geoscience* 17 (2024): 10-19. doi:10.1038/s41561-023-01349-2.

Klein, Harold P., et al. "The Viking Biological Investigation: Preliminary Results." *Science* 194, no. 4260 (1976): 99-105. doi:10.1126/science.194.4260.99.

Korablev, Oleg, et al. "No Detection of Methane on Mars from Early ExoMars Trace Gas Orbiter Observations." *Nature* 568 (2019): 517-520. doi:10.1038/s41586-019-1096-4.

Navarro-González, Rafael, et al. "Reanalysis of the Viking Results Suggests Perchlorate and Organics at Midlatitudes on Mars." *Journal of Geophysical Research: Planets* 115 (2010): E12010. doi:10.1029/2010JE003599.

Scheller, Eva L., et al. "Long-Term Drying of Mars by Sequestration of Ocean-Scale Volumes of Water in the Crust." *Science* 372, no. 6537 (2021): 56-62. doi:10.1126/science.abc7717.

Webster, Christopher R., et al. "Background Levels of Methane in Mars' Atmosphere Show Strong Seasonal Variations." *Science* 360, no. 6393 (2018): 1093-1096. doi:10.1126/science.aaq0131.

Modern works

Carr, Michael H. *The Surface of Mars*. Cambridge: Cambridge University Press, 2006.

Haberle, Robert M., R. Todd Clancy, François Forget, Michael D. Smith and Richard W. Zurek, eds. *The Atmosphere and Climate of Mars*. Cambridge: Cambridge University Press, 2017.

Johnson, Sarah Stewart. *The Sirens of Mars: Searching for Life on Another World*. New York: Crown, 2020.

Lakdawalla, Emily. *The Design and Engineering of Curiosity: How the Mars Rover Performs Its Job*. Cham: Springer, 2018.

Lane, K. Maria D. *Geographies of Mars: Seeing and Knowing the Red Planet*. Chicago: University of Chicago Press, 2011.

Morton, Oliver. *Mapping Mars: Science, Imagination, and the Birth of a World*. London: Fourth Estate, 2002.

Sheehan, William. *The Planet Mars: A History of Observation and Discovery*. Tucson: University of Arizona Press, 1996.

Weinersmith, Kelly, and Zach Weinersmith. *A City on Mars: Can We Settle Space, Should We Settle Space, and Have We Really Thought This Through?* New York: Penguin Press, 2023.

Mission, programme and policy sources

China National Space Administration. "China Celebrates Space Day with a Sneak Peek at Tianwen 3's Tech." 24 April 2026.

Committee on Space Research. *COSPAR Policy on Planetary Protection*. Approved 7 November 2025; published in *Space Research Today* 224, January 2026.

European Space Agency. ExoMars Rosalind Franklin, Mars Express and Trace Gas Orbiter mission pages and programme updates. Status checked 4 September 2026.

National Aeronautics and Space Administration. *Mars: Facts*. NASA Science, updated 10 July 2026.

National Aeronautics and Space Administration. Mariner, Viking, Pathfinder, Mars Climate Orbiter, Mars Exploration Rover, Phoenix, Curiosity, InSight, Mars 2020, Ingenuity, MAVEN and ESCAPADE mission histories and status pages. Status checked 4 September 2026.

National Aeronautics and Space Administration. *Mars Climate Orbiter Mishap Investigation Board Phase I Report*. 10 November 1999.

National Aeronautics and Space Administration. "NASA's Oxygen-Generating Experiment MOXIE Completes Mars Mission." 6 September 2023.

National Aeronautics and Space Administration. "NASA to Explore Two Landing Options for Returning Samples from Mars." 7 January 2025.

National Aeronautics and Space Administration. *Moon to Mars Architecture*. Current architecture pages and definition documents checked 4 September 2026.

National Aeronautics and Space Administration. "NASA Says Farewell to MAVEN Mars Mission." 3 June 2026.

National Aeronautics and Space Administration. *Mars Relay Network*. Updated 2026; checked 4 September 2026.

National Aeronautics and Space Administration. "Establishing Crew Exposure Limits of Martian Dust." 21 July 2026.

National Aeronautics and Space Administration. "NASA Establishes M-FORCE Tiger Team to Shape Mars Planetary Protection Protocols." 28 August 2026.

National Aeronautics and Space Administration. "NASA Selects Blue Origin as Mars Telecommunications Network Provider." 1 September 2026.

SpaceX. *Mars & Beyond* and *Starship* corporate programme pages. Claims checked 4 September 2026 and treated as company targets.

United Arab Emirates Space Agency. "Hope Probe Marks Six Years of Scientific Leadership in Mars Exploration." 19 July 2026.