

THE IN A HURRY SERIES

Wine *in a Hurry*

Grapes, terroir, and how to taste

Max Brocklesby

BOOKSINAHURRY.COM

Contents

The Whole Thing in One Page 4

Why You Should Care 5

The Core Ideas 7

How It Actually Works 21

What People Get Wrong 31

Use It 35

Terms 40

Go Deeper 45

Notes and Sources 46

Bibliography 52

The Whole Thing in One Page

Wine arrives disguised as a luxury code. The label is in French or Italian, the waiter waits, the critic finds graphite in a liquid that has never met a pencil, and everyone is expected to know whether 2019 was kind to a hillside they could not locate on a map. This performance hides the drink itself.

Wine is agriculture made portable. A bottle begins with a perennial plant rooted in one place and exposed to one season. The vine turns sunlight, water and carbon dioxide into berries whose sugar, acid, aroma precursors, pigments and tannins change as they ripen. The grower can prune, train, irrigate, shade, thin and choose when to pick. None of those choices cancels weather, soil, slope or biology. They decide how the plant meets them.

That interaction is terroir. It is often reduced to mystical soil flavour, but the serious idea is broader and less magical: climate, topography, soil, water, biodiversity, plant material and accumulated human practice combine to produce recurring differences. The stone does not travel up the roots and appear as minerality. The soil changes drainage, temperature, rooting and nutrient supply; those alter the vine; the vine alters the fruit. Place acts through mechanisms.

The cellar then edits the crop. Yeast converts grape sugars mainly into ethanol and carbon dioxide, but wine style depends on everything around that conversion: whether skins remain with the juice, how hard the fruit is pressed, how warm the fermentation runs, whether bacteria soften malic acid, whether oxygen, oak, lees, sweetness, bubbles or fortifying spirit are introduced, retained or excluded. Red, white, rosé, sparkling, sweet and fortified wines are different solutions to the same raw material.

Time continues the edit. A bottle may gain complexity as acids, pigments, tannins, oxygen and aroma compounds react. It may also flatten, brown, leak, oxidise or acquire a fault. Ageing is controlled instability, and most wine is made to be pleasant before it becomes old. Age is not quality. It is a wager that development will outrun decline.

Because the crop varies, people built systems to make its origin legible. Appellations draw boundaries, prescribe grapes and methods, protect names and turn geography into property. They can preserve hard-won local knowledge. They can also freeze one historical answer, reward insiders and make a map look like a ranking.

Then the wine reaches the least stable instrument in the chain: the drinker. Flavour is assembled from taste, smell, touch, temperature and expectation. Training improves attention and vocabulary, but colour, price, labels, order and fatigue can shift judgement. Tasting language is useful when it points to structure and repeatable sensations. It becomes theatre when metaphor pretends to be measurement.

The right way to taste is therefore modest and exact. Notice sweetness, acidity, tannin, alcohol, body, aroma intensity, flavour development, balance and finish. Compare like with like. Separate what you enjoy from what is typical and from what is technically sound. A good bottle does not require the correct adjectives. It requires attention to the chain that made it.

That is the book.

Why You Should Care

A grape berry is a small bag of mostly water and sugar. Leave crushed grapes in a vessel with the right microbes and they will begin turning themselves into alcohol. From that undignified start came amphorae carried across the Mediterranean, monastic estates, imperial taxes, merchant fortunes, protected place names, auction prices and one of the most elaborate sensory cultures humans have built around a drink.

The transformation is interesting because almost nothing in wine stays in one category. It is a crop, but unlike wheat its best-known products announce a field, a year and sometimes a single plot. It is fermented fruit, yet a bottle can become a legal document whose name is protected across borders. It is chemistry, but the final result cannot be understood without weather, labour, microbes, trade, memory and expectation. It is

mass-produced on an industrial scale and still sold through the romance of individual places.

This gives wine unusual explanatory power. Learn how a vine ripens and you see why agriculture is an argument with time: sugar rises, acid falls, aromas change, disease threatens and the perfect harvest date exists mainly in retrospect. Learn terroir properly and you gain a model for any product in which place and skill interact. Learn appellations and you see how communities convert reputation into rules, then rules into scarcity and price. Learn tasting and you meet a harder fact: perception is neither a camera nor a fraud. It is a biological construction that can be trained, compared and biased at once.

The scale matters too. In 2025 the world's vineyards covered about seven million hectares. Nearly half of wine crossed an international border. Yet the area under vines had fallen for a sixth consecutive year, production remained below historical averages and consumption was declining. Wine is not a timeless European inheritance proceeding calmly through vintages. It is a global agricultural market adjusting to changing tastes, economic pressure and a climate that is shifting ripening dates, water stress, acidity and the geography of viable production.

You also encounter wine whether or not you collect it. Restaurant lists use place names as shorthand. Supermarkets arrange bottles by colour, country, grape and price, each scheme teaching a different theory of what matters. A wedding toast, religious rite or family meal may use the same substance that appears in addiction medicine, cancer evidence and public-health regulation. Cultural importance does not neutralise ethanol. Wine can be studied seriously without turning health risk into a footnote or drinking into a test of sophistication.

Wine also makes time visible in a way few foods do. The vintage fixes one growing season, the cellar preserves part of it, and opening the bottle ends that sealed interval. A young wine may be fruit-led and tight; an older one may trade primary fruit for dried, savoury or earthy notes. The change is chemical, but the interest is human: the bottle carries a perishable year into

another year.

Most useful of all, the subject rewards a better kind of attention. Beginners are often told to hunt for blackcurrant, cigar box or wet stone, then made to feel deficient when the glass yields only wine. That reverses the job. The first questions are structural: Is it dry or sweet? How much acidity, tannin, alcohol and body does it carry? Are the aromas fresh, developed or faulty? Does anything dominate? What changes with air, temperature or food? Concrete observations create a vocabulary; memorised vocabulary does not create perception.

By the end of this hour, a wine label should look less like a password and more like a claim. A glass should feel less like an examination and more like evidence. You will know where the drink's differences can come from, which are imposed by law or technique, why age and price mislead, and how to taste without pretending that preference is a universal verdict.

The Core Ideas

Wine Is a Crop Before It Is a Drink

The cellar receives a result, not a blank material. By harvest, months of biological decisions have already limited what the winemaker can make.

A grapevine is a woody perennial. Each winter it stands apparently idle while the grower prunes away most of the previous season's growth and chooses how many buds to retain. Those buds contain the beginnings of future shoots and flower clusters. In spring they break, shoots extend and leaves begin supplying the plant through photosynthesis. Flowering and fruit set follow. A cold, wet or windy spell at the wrong moment can reduce the number of berries before anyone has discussed barrels or yeast.

The berries begin hard, green and acidic. At *véraison* they soften and change colour; ripening then brings sugar accumulation, acid loss, changes in aroma precursors and the development of skins and seeds. Heat can accelerate sugar while aroma and phenolic development follow different

clocks. Rain may swell berries and dilute them. Drought can restrain growth and concentrate small berries, then become severe enough to stop photosynthesis and ripening. Disease pressure can turn a patient harvest into a panicked one. The grower does not wait for a single number to become correct. Picking is a compromise among sugar, acidity, flavour, tannin, weather risk, labour and the intended style.

Yield changes that compromise. A vine carrying too much fruit may struggle to ripen it under some conditions, though the crude rule that lower yield always means better wine does not survive serious inspection. Climate, variety, canopy, water, soil, crop balance and disease matter together. A low yield caused by frost can be expensive without being excellent. A healthy, well-managed vine can carry a respectable crop and produce concentrated fruit.

Canopy management decides how leaves and bunches meet light and air. Too much shade can slow ripening and encourage humidity; too much exposure can overheat or sunburn fruit. Irrigation, where allowed and available, changes water status. Cover crops compete with or protect the vine. Row orientation, training system and pruning method alter interception of light, airflow and labour. Rootstock influences vigour, drought response, lime tolerance and resistance to soil pests. Most European wine grapes are *Vitis vinifera* above ground and, since the phylloxera crisis, often American-derived rootstock below it.

This makes vintage meaningful. The year on a label records more than elapsed time. It identifies one passage through budburst, flowering, heat, rain, disease and harvest. In regions with stable conditions, vintages may differ modestly. In marginal or highly variable climates, the year can alter yield, ripeness, acidity and style sharply. Technology can reduce variation through sorting, irrigation, temperature control, blending and adjustment. It cannot make every season equivalent without making the claim of vintage empty.

The crop also links years together. Bud fruitfulness is influenced by conditions during the previous season, reserves stored in wood and roots

support early growth, and pruning decisions determine both this year's load and the framework for the next. A vineyard cannot be reset like a factory line after a poor run. Replanting means years without a full crop, which is one reason old varieties, rootstocks and training systems persist even when conditions change.

The first mental correction is therefore agricultural. A famous château, a polished tasting room and a critic's score sit downstream of a plant. Wine begins with the management of an irreversible season.

The Grape Contains the Whole Problem

Cut a dark wine grape in half and the flesh is usually pale. Most red colour sits in the skin. So do many tannins and aroma-related compounds; the seeds and stems carry further tannin; the pulp supplies water, sugar and acids. Winemaking begins by deciding which parts of the berry may meet one another, for how long and under what conditions.

This is why red and white wine are not defined by the colour of the grape alone. Red wine is normally fermented with dark skins, allowing alcohol, heat and time to extract pigments and tannins. White wine is usually pressed away from skins before fermentation and can therefore be made from pale grapes or from dark grapes handled gently. Blanc de noirs sparkling wine demonstrates the point: dark Pinot Noir or Meunier can yield a pale wine because skin contact is minimised. Rosé sits between, gaining limited colour through short contact or, in some regions and styles, through blending red and white wine.

Sugar is the yeast's main fuel. As grapes ripen, glucose and fructose accumulate. Ferment more of them and the wine becomes drier and more alcoholic; leave some unfermented and residual sweetness remains. Yet sugar is only one clock. Tartaric and malic acids help give freshness, microbial stability and shape. Malic acid tends to fall in warm conditions, while tartaric acid is more stable in the berry but can later form crystals. A harvest chosen solely for high sugar can produce a wine with ample alcohol and little lift.

Phenolics create another clock. Anthocyanins contribute red and purple colour. Tannins from skins, seeds and sometimes stems bind with salivary proteins, producing astringency: the drying, gripping sensation often mistaken for bitterness. During ripening, seeds brown, skins become less tough and tannins may feel less aggressively green, though no laboratory switch announces complete phenolic maturity. Winemakers taste berries because numbers describe part of the decision, not all of it.

Aroma is distributed and disguised. Some varieties carry potent free aroma compounds, as Muscat does. Others contain precursors that yeast or ageing later release or transform. Sauvignon Blanc can express thiol-related notes; Riesling can develop distinctive terpene and, with age, petrol-like characters from norisoprenoid chemistry; Cabernet-family grapes may retain methoxypyrazines associated with leafy or pepper-like aromas when fruit is less ripe or shaded. These are tendencies, not flavour guarantees. Site, season, canopy, microbes and cellar choices shift what reaches the glass.

Variety supplies tendencies rather than a finished flavour. Riesling commonly retains high acidity and carries strong aroma potential. Chardonnay is less overtly aromatic and readily reflects ripeness, fermentation and vessel. Pinot Noir has relatively thin skins and can combine pale colour with perfume and fine tannin. Cabernet Sauvignon usually brings more colour, tannin and black-fruit character; Syrah often adds deeper colour, pepper or dark fruit; Grenache can build alcohol while keeping moderate tannin. These are useful starting patterns, not promises. Clone, crop, site, season and cellar can move each far from its stereotype.

Berry size matters because the ratio of skin to juice changes. Small berries are not automatically superior, but for red wine they can increase the potential contribution of skins relative to pulp. Pressing changes the mix again. Free-run juice drains with less force; harder press fractions can bring more phenolics and solids. A winemaker may keep them separate, blend some back or reject them.

The juice also brings nitrogen, potassium and other components that affect yeast performance, acidity and stability. Potassium can combine with

tartaric acid and influence pH; too little yeast-assimilable nitrogen can contribute to sluggish fermentation, while excessive supplementation can create other problems. The berry is therefore a chemical environment for microbes as well as a flavour source for people.

The grape contains competing objectives. More ripeness can mean more sugar and softer flavours while costing acidity and raising alcohol. More extraction can bring colour and structure while also bringing bitterness or roughness. More clean juice can mean delicacy while sacrificing texture. There is no universally perfect berry. There is fruit suited, or unsuited, to a chosen wine.

Terroir Is a Causal System, Not Soil Poetry

Terroir is wine's most useful idea and its easiest hiding place. Used well, it explains why recurring differences emerge from a place. Used badly, it converts geography into magic and price into proof.

The International Organisation of Vine and Wine defines vitivinicultural terroir through interactions among a physical and biological environment, applied practices and collective knowledge. Soil, topography, climate, landscape and biodiversity belong inside it. Human action does too. A vineyard is not an untouched natural object. Its varieties, rootstocks, terraces, drainage, planting density, pruning, soil management and harvest customs are accumulated interventions.

Climate operates at several scales. A region sets broad limits on heat, rainfall and season length. A slope changes exposure, drainage and cold-air movement. Altitude usually lowers temperature and can increase radiation. Distance from an ocean or river can moderate extremes. The year then supplies the vintage: a particular sequence of frost, rain, heat, wind and disease pressure. A grape variety that ripens reliably in one place may struggle or become heavy in another.

Soil rarely contributes flavour by transferring rocks into juice. Roots take up water and dissolved mineral nutrients, not tiny fragments of slate or chalk that reappear as taste. Soil matters through physical and biological effects:

how much water it stores, how quickly it drains, how warm it becomes, how deeply roots can explore, how much oxygen reaches them and how nutrients are supplied. In many dry-farmed vineyards, vine water status is one of the strongest links between soil and fruit. Moderate water limitation can restrain shoot growth and alter berry size and composition. Excessive stress damages leaves, lowers yield and can stop ripening.

Topography and soil also change risk. A low pocket can collect cold air and suffer frost. A steep slope may drain well and capture sun while eroding under bare cultivation and demanding costly manual work. A deep, fertile soil may support excessive vegetative growth unless managed. A poor-looking stony soil may suit vines because it limits vigour and stores or releases water in a useful pattern. None of these mechanisms says that hardship itself creates quality. A vine needs limitation within a workable range, not punishment.

Biology complicates the picture further. Vine genotype, clone and rootstock mediate the environment. Cover crops, fungi, insects and soil organisms affect the vineyard system. Microbes arrive on fruit and equipment, though claims that a unique local microbiome straightforwardly writes a regional signature into every wine remain stronger than the evidence allows. Cellar populations, commercial cultures and hygiene alter the microbial path.

The social element is unavoidable. Generations learn where frost settles, when a variety loses acidity, which exposure ripens late and how a parcel responds to drought. That knowledge can become a recognised style and then an appellation rule. Terroir is therefore partly discovered and partly maintained. Change the climate, plant material or practice enough and the old relationship may no longer hold.

Scale matters when testing the claim. A broad regional climate can dominate differences between countries, while soil depth or slope position may explain variation within one estate. Winemaking can preserve, blur or overwhelm those signals. A heavily extracted, strongly oaked blend may be excellent and difficult to trace to one parcel by taste. A site difference can remain agronomically real even when sensory identification is unreliable.

A defensible claim of terroir requires recurring difference plus a plausible chain of causes. It does not require every taster to name the soil blind. Place can be real even when its sensory signal is subtle, blended or difficult to describe. The useful question is not whether the wine tastes of stone. It is how this place changed the vine, the fruit and the decisions that followed.

Fermentation Makes Alcohol; Winemaking Makes Style

Alcoholic fermentation is the centre of wine and not the whole craft. Yeasts, most often strains of *Saccharomyces cerevisiae* by the later stages, metabolise grape sugars and produce ethanol, carbon dioxide, heat and a range of aroma-active by-products. Left unmanaged, the process can start spontaneously. Managed winemaking controls which organisms dominate, how warm the ferment becomes, whether nutrients or oxygen are needed and when the wine is protected from spoilage.

Temperature matters because fermentation generates heat and because extraction, yeast performance and aroma retention respond to it. Red ferments often run warmer than aromatic white ferments. Their skins rise with carbon dioxide to form a cap, which must be wetted or mixed by pumping juice over, punching down or other methods. The aim may be colour, tannin, oxygen management and even temperature, with each action changing several things at once. White juice is commonly settled and fermented without skins at cooler temperatures to retain fresh aromas, though skin-fermented white and amber wines deliberately reject that default.

After primary fermentation, many wines undergo malolactic conversion. Lactic acid bacteria convert sharper malic acid into softer lactic acid and carbon dioxide, changing acidity, stability and sometimes aroma. Most red wines do it; some whites and sparkling bases do, while others block it to retain sharper acidity and a different style. Calling it a second fermentation is traditional, though the main transformation is bacterial acid conversion rather than another large production of alcohol.

The major wine styles are choices about contact, completion and retention. Red wine keeps skins with fermenting juice. White wine separates them early. Rosé limits contact. Sweet wine retains sugar by stopping fermentation, removing yeast, chilling and filtering, adding sweetness under legal rules, or beginning with grapes so concentrated by drying, freezing or noble rot that yeast cannot consume everything. Fortified wine adds grape spirit, either arresting fermentation to preserve sweetness, as in many Ports, or raising alcohol after a dry wine has formed, as in many Sherries.

Sparkling wine retains carbon dioxide. It may be captured from a second fermentation in bottle, as in the traditional method, or in a pressure tank. Bottle-fermented wine then ages on spent yeast, is riddled to collect sediment, disgorged and often adjusted with a dosage before closure. The bubbles are chemistry; the style comes from base wine, blending, pressure, lees time and the final balance of sugar and acid.

Blending is another central tool. A producer may combine parcels, grape varieties, press fractions, barrels or vintages to improve balance, maintain a house style or spread risk. Blending can erase a singular parcel, but it can also reveal judgement that no component could express alone. The assumption that a single vineyard or single variety is always more authentic confuses narrower origin with better composition.

Winemakers also choose vessels and exposure. Stainless steel is inert, cleanable and easy to cool. Concrete has thermal and oxygen-transfer properties that differ by construction and lining. Oak can supply oxygen slowly and contribute compounds associated with spice, toast, vanilla or smoke, depending on species, origin, seasoning, toast, age and size. Large old casks may contribute little obvious oak flavour while shaping oxygen exposure. Lees can be left undisturbed or stirred, changing texture and aroma.

Sulfur dioxide is a central protective tool because it can restrain microbes and oxidation, though its effects depend on pH and binding. Fining, filtration, acid adjustment, deacidification, concentration, blending and other lawful practices may refine stability or style. The romantic contrast between

intervention and non-intervention is therefore misleading. Every wine embodies choices, including the choice to accept uncertainty. The better distinction is whether each intervention has a clear purpose, works with the fruit and leaves a coherent result.

Ageing Is Controlled Instability

A sealed bottle looks finished. Chemically, it is still negotiating with time.

Young wine may be dominated by primary fruit, fresh fermentation aromas, sharp acidity, assertive tannin or obvious oak. During storage, pigments and tannins react, some compounds polymerise or precipitate, aromas transform and tiny amounts of oxygen entering before and after bottling influence the path. Red colour can shift from purple towards garnet and brown. Fresh fruit may give way to dried fruit, tobacco, leather, mushroom, honey, nuts or other developed notes, depending on the wine. These are broad sensory families, not a timetable shared by every bottle.

Ageing potential depends on composition and condition. Acidity, tannin, sugar, alcohol, phenolic material, aroma precursors, oxygen management and microbial stability all matter. So do closure, fill level, bottle size, light, vibration and temperature. Cool, stable storage slows reactions. Heat accelerates them and can push development into damage. A wine designed for early drinking may lose its fruit before any compensating complexity appears. A structured young wine may need time for its parts to become less severe.

This creates a common category error. A wine that can age is not automatically better than one that should be drunk young. Muscadet, Beaujolais, Barolo, vintage Port and fresh supermarket rosé are built around different pleasures and horizons. Durability is one attribute. It becomes a quality test only when the intended style values it.

The closure helps set the chemical environment. Natural cork is elastic and traditional but varies piece by piece and can carry compounds associated with cork taint, most famously TCA. Screw caps are consistent, convenient and available with liners that permit different oxygen transmission. Some

wines under highly protective closures may develop reductive characters if other conditions favour them; some cork-sealed bottles oxidise prematurely. The serious issue is not prestige. It is how a closure manages oxygen, contamination risk, mechanical seal and the intended life of the wine.

Faults reveal where controlled instability escapes control. Oxidation can flatten fruit and produce bruised-apple, nutty or aldehydic notes where those are not intended. Reduction can produce sulfurous smells from struck match through cabbage or rotten egg, with causes and persistence varying. Volatile acidity can smell of vinegar or solvent at high levels. Brettanomyces yeasts can generate leathery, medicinal or animal characters; some drinkers tolerate low levels, but calling every detectable fault complexity avoids the question of whether fruit and place have been obscured. Heat damage, light strike, refermentation and microbial spoilage have their own signatures.

Decanting speeds one part of the process by exposing wine to air. It can release a closed young wine or separate sediment from an old one. It can also strip a fragile mature wine faster than expected. No fixed rule based on age can replace observing the wine as it changes in the glass.

Bottle sediment is part of the same movement. Pigments, tannins and tartrate crystals can fall out of solution without making the wine unsafe. Filtration and stabilisation reduce surprises, while some producers accept deposits to minimise processing. A crystal on the cork is not glass, and sediment in an old red is often a reason to stand and decant the bottle carefully rather than reject it.

The governing idea is a race. Desirable development and deterioration occur through related chemistry. Ageing succeeds when the wine has enough material, balance and protection for new complexity to arrive before the original pleasure disappears.

Appellations Turn Place into Law and Price

A place name on a wine label may identify geography, regulate production, signal a style, protect intellectual property and support a price. These functions are bundled so tightly that consumers often mistake one for another.

The problem began with reputation. Once wine from a place commanded more money, merchants had an incentive to stretch the name, blend in cheaper wine or sell imitation. Geographic rules developed to connect a protected term with an origin and, in many systems, with permitted grapes, yields, alcohol levels, vineyard practices and production methods. The label became an enforceable claim.

European protected designations often bind product and method closely. Under the European Union's current geographical-indication framework, wine carrying a protected designation of origin must use grapes originating in the defined area, while a protected geographical indication requires at least 85 per cent of the grapes to originate there. Individual product specifications add permitted varieties, methods and other conditions. French appellations, Italian DOC and DOCG zones, Spanish denominaciones and their counterparts are not one identical system, but they share the principle that origin and recognised practice can be collectively protected.

American Viticultural Areas are narrower in purpose. An AVA identifies a delimited grape-growing region; federal rules require at least 85 per cent of the wine's grapes to come from the named AVA. The designation does not by itself prescribe grape varieties, yields or a regional style. A Napa Valley AVA label therefore makes a different kind of promise from a tightly specified European appellation, even when both use geography.

Appellations solve real problems. They prevent a famous name from becoming generic, let small producers share a recognised identity, preserve local varieties and techniques, and give buyers information that a brand alone cannot supply. They can turn collective knowledge into an asset that remains attached to a community rather than to one company.

They also create power. Drawing a boundary raises the value of land inside it and can strand similar land outside. Rules written around established producers may burden newcomers. A permitted-grape list preserves typicity and can slow adaptation to heat, drought or disease. Hierarchies such as village, premier cru and grand cru can encode long observation, inherited politics, market influence or all three. Once a classification commands money, evidence about quality is no longer the only force keeping it in place.

A classification is not always an appellation. Bordeaux's 1855 ranking classified estates largely through contemporary reputation and price; Burgundy's cru hierarchy attaches more directly to delimited sites; producer-led organisations and private certification schemes make other claims again. The word on the label may rank land, property, method or membership. Reading it correctly requires knowing which object has been classified.

Labels add further layers. In much of Europe, place may imply the grape: Chablis means Chardonnay; Barolo means Nebbiolo; red Burgundy normally means Pinot Noir. Many New World labels reverse the emphasis and lead with variety, making the grape the organising clue while region sits below. Producer, vintage, vineyard, alcohol, sweetness terms, farming claims and bottling statements each answer a different question. None is a complete quality certificate.

The correct reading of an appellation is therefore neither reverence nor dismissal. Treat it as a compressed production specification and a historical claim about place. Ask what it guarantees, what it permits, what it omits and whose interests shaped the rule. Geography becomes useful only after the law behind the name is understood.

Tasting Is Measurement by a Biased Instrument

A wine does not carry blackcurrant, cedar or wet stone as labels waiting to be read. It carries molecules and physical properties. The drinker turns them into flavour.

Taste receptors contribute sweetness, sourness, bitterness, saltiness and

umami, though wine is dominated by the first three. Smell supplies much of what casual speech calls taste. Volatile compounds reach the nose from the glass through orthonasal smelling and from the mouth through the retronasal route during drinking. Touch adds temperature, viscosity, carbon dioxide, alcohol warmth and astringency. Sight supplies colour and clarity. The brain combines these streams with memory, language and expectation into one experience.

That construction does not make tasting imaginary. Acidity can be compared. Residual sugar can be measured. Tannic grip, aroma intensity, alcohol warmth and persistence can be assessed with useful agreement under controlled conditions. Training helps tasters attend to separate components, recognise faults, recall reference patterns and use a shared vocabulary. A laboratory sensory panel can be calibrated for a defined task. A sommelier can learn regional patterns and service decisions. Expertise is a set of improved discriminations, not access to a private truth.

Bias remains inside the instrument. In a well-known experiment, expert tasters described a white wine coloured red with language associated with red wine. Another study found that stated price altered reported pleasantness and activity in a brain region involved in experienced value, even when wines were repeated. At one major American competition, replicate samples exposed substantial inconsistency among judges. These findings do not prove that experts know nothing. They show that colour, price, context, fatigue and task design can alter judgement, and that precision should not be claimed where the method cannot produce it.

Vocabulary has three different jobs. Descriptive language records perceived features: high acidity, moderate tannin, lemon-like aroma, developed nutty note. Comparative language places a wine among peers: lighter than the other Rioja, less ripe than the previous vintage. Evaluative language judges success: balanced, typical, complex, faulty, worth the price. Confusion begins when one job masquerades as another. Saying that a wine smells of violets is not proof that it is good. Saying that it is typical does not mean you must enjoy it.

Three judgements should remain separate. Technical soundness asks whether the wine is stable and free of unwanted faults. Typicality asks whether it resembles the style, grape or origin it claims. Preference asks whether you want another glass. A sound wine can be atypical; a typical wine can be disliked; a flawed wine can have admirers. Collapsing the three turns taste into obedience.

A practical tasting sequence reduces noise. Look briefly. Smell before swirling, then after. Sip enough to coat the mouth and notice sweetness, acidity, tannin, alcohol, body and flavour intensity. Ask how the elements relate and how long the flavours remain. Revisit after air and as temperature changes. Spitting is standard when comparing several wines because alcohol can impair the sensory performance of the person doing the comparison.

Blind tasting removes some information and introduces another artificial task. It can test recognition, calibration or bias, but ordinary drinking includes a meal, company, price and expectation. Context is part of pleasure even when it is a problem for measurement. The goal is not to drink in permanent sensory quarantine. It is to know which question you are asking.

The causal loop now closes. Because vineyards and vintages vary, wine invites comparison. Comparison creates labels, categories, vocabularies, experts and scores. Those tools help us detect difference, then threaten to replace the difference with status. Good tasting keeps the tool subordinate to the glass: precise enough to learn, humble enough to admit that preference belongs to the drinker.

How It Actually Works

A fruit that would not wait

Around 6000 BCE, people in what is now Georgia stored something grape-based in large clay jars. Chemical residues, grape remains and the local ecology point towards wine. Two thousand years later, at Areni-1 in present-day Armenia, a cave held a sloping pressing platform, a receiving jar, vessels and crushed grape remains. The installation looks recognisably like organised production, though the chemistry supports rather than closes the case.

The first discovery required no microbiology. Ripe grapes carry sugar, their skins and surroundings carry yeasts, and crushed fruit provides juice. Fermentation can begin without understanding it. The harder achievements were repeatability and storage: cultivating useful vines, gathering enough fruit at once, controlling vessels, limiting air and spoilage, and learning which places and seasons produced a drink worth making again.

Domestication changed the plant. Wild Eurasian grapevines usually have separate male and female plants; cultivated vines were selected towards hermaphroditic flowers that could fertilise themselves, reliable crops, larger berries and traits useful for eating or fermenting. Recent genomic work proposes complex, partly separate domestication histories in western Asia and the Caucasus rather than one neat moment of invention. Archaeology provides dated traces of use. Genomes reconstruct ancestry. They answer related questions and need not produce the same single birthplace.

Wine spread because the vine spread and because the liquid performed several jobs. It supplied alcohol, calories and flavour; marked feasts, offerings and status; moved as tribute and trade; and turned an abundant harvest into a storable good. It was never a universal daily substitute for unsafe water, a story too convenient for the evidence. Wine could be diluted, flavoured, resinated, mixed with water or reserved for people who could afford it. The drink's meaning depended on who poured it and who was excluded.

The ancient wine system

Egypt left images of harvesting, treading, pressing, filling jars and sealing them, along with jar inscriptions naming estates, places and years. Wine was associated with elites, temples, offerings and burial provision, while beer remained the broader staple drink. The labels matter because they show that origin, producer and vintage became useful information long before the modern bottle.

Phoenician merchants carried vines, vessels and wine practices through Mediterranean networks. Greek colonisation planted vineyards from southern Italy and France to the Black Sea. In the Greek symposium, male citizens reclined, mixed wine with water in a krater, drank from shared service vessels and turned consumption into a managed social event. The ritual advertised equality among participants while depending on enslaved labour and excluding most of society. Drinking neat wine could be coded as barbaric or uncontrolled. Culture did not sit beside the liquid. It prescribed the proper dilution, pace, company and speech.

Greek and later Roman writers discussed pruning, training, sites, varieties, pressing and storage with enough detail to show an established technical culture. Rome expanded the system through roads, estates, taxes, urban demand and sea trade. Amphora stamps and wreck cargoes now map movements that literary history barely mentions. Some wines acquired famous names and long-distance reputations; most were local, ordinary and consumed without becoming literature.

Roman wine did not resemble one modern category. Producers boiled must, added resins, herbs or seawater, dried grapes, blended wines and used treatments intended to preserve or alter them. The point is not that ancient taste was crude. It is that wine has always been made through intervention, and the accepted interventions have always been cultural. What later ages call traditional is usually one selected period in a much longer history of adjustment.

After Rome

The western Roman political system fragmented, but vines did not vanish. Wine remained tied to Christian liturgy, urban markets, households, landlords and regional trade. Ecclesiastical estates mattered because the Eucharist required wine and institutions could hold land across generations. Monasteries cultivated vineyards in some regions, recorded rents and practices, and became durable landowners. They did not single-handedly preserve wine through a thousand-year darkness. Lay estates, towns, merchants and peasants did much of the work, while the eastern Mediterranean and Islamic world maintained sophisticated agriculture, commerce and scientific inquiry under different rules around alcohol.

Medieval wine was intensely local because transport was slow and the product unstable. Towns near vineyards drank new wine; northern consumers depended more on river and sea routes. Barrels gradually displaced amphorae for much European transport. They rolled, stacked and doubled as production vessels, but wood was permeable and wine could spoil. Merchants blended, refreshed, fortified or sold quickly. A named region mattered partly because it described what could reach a market in recognisable form.

Political connections redirected taste. After the marriage of Eleanor of Aquitaine to Henry Plantagenet in 1152 and his accession to the English throne, Bordeaux's trade with England grew into a major commercial system. The English called its lighter red wines claret. Customs, shipping seasons, municipal privilege and war shaped what London drank. Wine history repeatedly works this way: a style appears to express timeless local taste, then trade law reveals why that style reached the consumer.

Bottle, cork and distance

Early modern changes altered wine's relationship with time. Stronger glass bottles became more practical in the seventeenth century, and cork closures improved the ability to store wine in small sealed units. Bottles were at first irregular and expensive, used for service or private storage rather than as the normal retail package. Once producers and merchants could keep wine under a tighter seal, bottle ageing became a more controllable practice. A drink previously judged largely by freshness could develop a second life.

Fortification solved another problem. Adding distilled grape spirit raised alcohol and could stabilise wine for transport. In Port, spirit added during fermentation preserves residual sugar by stopping yeast activity. In Sherry, a dry base wine is fortified and then aged through biological or oxidative systems, often using fractional blending. Madeira's heat-associated maturation grew from an island trade exposed to long voyages and was later formalised. These wines are not stronger versions of one method. They are distinct answers to preservation, sweetness, oxygen and commerce.

Sparkling wine emerged from another instability: fermentation restarting after bottling. Cold winters could halt yeast activity, then spring warmth woke it inside a sealed bottle. Carbon dioxide that once burst weak glass could become the product. Champagne's development involved English glassmaking and cork use, French blending and cellar practice, stronger bottles, controlled secondary fermentation, riddling, disgorgement and dosage. No single monk invented the system by exclaiming over stars. Dom Pierre Pérignon was an important cellar manager associated with blending and quality at Hautvillers, but the famous line is later advertising.

Coffee, tea, spirits and colonial commodities competed with wine, while European empires carried vines to the Americas, southern Africa, Australia and New Zealand. Missionaries, settlers, merchants and states planted for ritual, subsistence and trade. These were not empty lands waiting for viticulture. Vineyards entered Indigenous territories, labour systems and colonial economies. In several regions, imported European varieties struggled against climates, diseases or pests unknown at home, forcing new

plant material and methods.

The nineteenth-century rupture

The nineteenth century gave wine both scientific explanation and ecological disaster. Louis Pasteur's studies helped establish that fermentation was biological, driven by living microorganisms, and that unwanted microbes contributed to spoilage. Winemakers had controlled fermentation empirically for millennia; microbiology explained why some controls worked and opened the way to cleaner, more predictable production.

Then phylloxera arrived in Europe. The tiny North American insect attacks vine roots. American species had coevolved with it; *Vitis vinifera* had not. From the 1860s, vineyards in France and then across Europe declined and died. Proposed cures ranged from chemicals to flooding and fraud. The lasting answer was grafting European fruiting varieties onto resistant American-derived rootstocks.

The rescue offended people who imagined purity above ground and below. It also produced the modern vine: a composite plant, often European scion joined to American ancestry at the roots. Exceptions survive on sandy soils, isolated islands or protected sites, but grafting became normal. The episode exposes a permanent tension in terroir. A region can defend ancient identity through a biological technology imported from another continent.

Disease did not stop with phylloxera. Powdery and downy mildews also arrived from North America and encouraged sulfur and copper treatments. Vineyard management became more chemically intensive. Some of the environmental problems now associated with viticulture grew from tools that once prevented crop failure.

The same century industrialised fraud. As urban demand and transport expanded, famous names attracted dilution, substitution and fabricated origin. Cheap sugar could raise potential alcohol; colouring and blending could imitate style; merchants could use a place name with little connection to the place. The response would become legal geography.

The regulated bottle

Early twentieth-century appellation systems were built through conflict among growers, merchants and states. France's Appellation d'Origine Contrôlée model linked delimited areas with permitted grapes and practices. Other countries developed their own systems. These rules protected origin and helped stabilise rural markets, but they also selected a version of local tradition and gave it legal force.

Technology meanwhile made wine cleaner and more consistent. Refrigeration controlled fermentation temperature. Stainless steel made inert, hygienic vessels common. Laboratory analysis tracked sugar, acid, pH, alcohol and microbial stability. Cultured yeasts and bacteria reduced uncertainty. Filtration, sterile bottling and sulfur management extended shelf life. Mechanisation reduced labour in suitable vineyards. None of this removed craft. It moved part of craft from reacting to surprises towards designing conditions.

After the Second World War, supermarkets, tourism, container shipping, refrigerated transport and rising incomes changed demand. Countries once treated as peripheral producers built export industries. California, Australia, Chile, Argentina, South Africa and New Zealand gained international attention through different combinations of research, capital, migration, climate and marketing. Varietal labelling offered an accessible grammar: Cabernet Sauvignon or Chardonnay could be recognised across regions even when European place names remained opaque.

The 1976 Paris tasting, in which Californian wines ranked above famous French examples in a blind comparison, became a symbolic break in hierarchy. Its sample was small and its later mythology larger than the experiment, but the commercial lesson held: recognised quality was no longer Europe's exclusive property. Critics and the hundred-point scale then gave global buyers another shorthand. Scores could introduce unknown producers and concentrate power in a few palates. Producers sometimes adjusted ripeness, extraction and oak towards styles believed to score well, though claims of one globalised taste should not erase the diversity that

remained.

Bulk shipping and bottling near the destination lowered costs and emissions for high-volume wine. Brand owners blended across regions or vintages to deliver consistency. At the other end, single vineyards, old vines, rare varieties, biodynamics, natural wine and grower bottlings sold specificity. Modern wine therefore expanded in opposite directions: more technically uniform at scale and more finely partitioned at the premium edge.

One modern vintage

A modern harvest compresses a year of vineyard work into a few decisions that cannot be taken back. The picking date sets the raw balance of sugar, acid, flavour, colour and tannin. Rain may dilute or split berries. Heat may push sugar upwards faster than flavour develops. Waiting can improve maturity and lose the crop. Picking early can preserve acidity and leave hard tannins or herbal character. The decision may be made block by block and sometimes row by row, using analysis, tasting, weather forecasts, labour and the capacity of the cellar.

Fruit arrives warm, damaged or carrying soil and insects unless logistics are tight. It may be hand-sorted, machine-sorted or sent straight into a crusher-destemmer. White grapes are commonly pressed before fermentation so juice is separated from skins. Red grapes usually ferment with skins because colour and much of the tannin are extracted there. Rosé occupies several routes, including short skin contact or direct pressing. Whole bunches may be retained to alter aroma, tannin and fermentation behaviour. Every choice changes what enters the vessel before yeast has done anything.

The must is adjusted only where law and house style permit. A producer may add sulfur dioxide, settle cloudy juice, correct acidity, enrich sugar in cool regions, reduce alcohol potential in warm ones, add nutrients or choose a cultured yeast. Another may rely on the organisms already present and accept a less predictable sequence. Neither route is free of control. Temperature, vessel size, oxygen, cleanliness and the decision to intervene

are all controls, including a decision to do less.

Fermentation then releases heat and carbon dioxide while alcohol rises. In white wine, cool fermentation can retain volatile aromas, though cold is not a universal quality setting. In red wine, skins float into a cap that must be wetted by pumping juice over, punching it down or rotating the vessel. Longer contact can increase extraction, but extraction is selective and time-dependent. The winemaker tastes because a laboratory number cannot say whether the tannin has become useful or merely abundant.

Once alcoholic fermentation is complete, the wine is separated from heavy solids and the red skins are pressed. Free-run and press fractions may be kept apart because they differ in texture and composition. Malolactic conversion may follow, changing sharper malic acid into softer lactic acid and altering microbial stability and aroma. The wine is then protected from unwanted oxygen or deliberately exposed to controlled amounts through barrels, transfers and ageing vessels. Lees may be removed or retained. Lots may be blended to correct imbalance, build complexity or meet a reliable house style.

Before bottling, the producer must decide what instability is acceptable. Protein haze, tartrate crystals, residual microbes and dissolved oxygen can all appear later. Fining, filtration, cold stabilisation and sulfur management reduce risk, but each treatment has costs and may be unnecessary for a wine sold quickly. The bottle, closure and storage conditions then become part of production. A wine bottled soundly can still be spoiled by heat on a loading dock or months under a bright shop light. The vineyard made the possibilities. The cellar narrowed them. Distribution can still undo the lot.

The present vintage

The current system is under pressure from both field and market. Warmer growing seasons have advanced vine development in many regions, lowered acidity in some fruit, raised potential alcohol and increased drought, fire, heat and extreme-weather risks. Adaptation includes canopy changes, later-ripening varieties, drought-tolerant rootstocks, altered planting density, irrigation where feasible, higher or cooler sites, earlier picking and cellar adjustment. Appellation rules can support collective adaptation or delay it when permitted varieties and methods no longer fit the climate that produced them.

Consumption is also changing. In its May 2026 assessment, the OIV estimated 2025 world wine consumption at 208 million hectolitres, down 2.7 per cent from 2024, and wine production at 227 million hectolitres. Global vineyard surface, which includes vines grown for wine, table grapes and dried grapes, fell to about seven million hectares. World wine exports were 94.8 million hectolitres, and the OIV estimated that nearly one bottle in two was consumed outside its country of origin. Producers face health concerns, demographic change, competition from other drinks, weaker purchasing power and interest in lower-alcohol or alcohol-free products.

Dealcoholisation can remove ethanol through membrane or distillation technologies, but doing so changes aroma, body and balance and requires further production choices. Alcohol is part of wine's structure as well as its risk.

Yet the basic chain remains recognisable from the first jars. Grow a crop through one irreversible season. Crush it. Let microbes convert it. Protect, transform or expose it according to the desired style. Attach a claim about origin. Move it to another person, who finishes the process by tasting.

How we know

Wine leaves unusually varied evidence. Archaeology supplies presses, seeds, pollen, vessels, stains, residues and shipwreck cargoes. Chemical markers can support an interpretation of grape products, but no single molecule proves that a vessel held finished wine; context matters. Ancient images and texts reveal production and ritual, though they overrepresent elites and prescriptive ideals.

For later periods, estate records, customs accounts, laws, merchants' correspondence, bottle collections and vineyard maps show production and trade. Plant genetics reconstruct relationships among wild and cultivated vines, while rootstock and clone records document modern material. Viticulture and oenology now add field trials, chemical analysis, microbiology and controlled sensory work.

The evidence is strongest for institutions that kept records and wines that travelled. Ordinary household production is easier to lose. Sensory history is harder still: a recipe can be recovered, but the exact smell of an ancient jar cannot. Modern recreations test possibility, not identity. Current sector figures are estimates revised as national data arrive, and claims about terroir require care because climate, soil, plant material and practice are difficult to isolate outside experiments. The record can show how wine was made and valued with increasing precision. It cannot pour the past back into the glass.

What People Get Wrong

"Red wine is red because red grapes have red juice"

Most wine grapes have pale flesh and nearly colourless juice, including many varieties whose skins are dark blue or black. The colour of red wine is extracted chiefly from pigments in the skins during fermentation and maceration. Separate the juice quickly and a dark-skinned grape can make a white wine. Champagne provides the familiar case: Pinot Noir and Meunier are black grapes, yet they can produce a clear base wine when pressed gently and kept away from their skins.

This correction explains far more than colour. Skin contact also brings tannin and other phenolic compounds, so the duration, temperature and physical management of maceration help determine structure. Rosé is not usually red wine diluted with white. It is commonly made by giving dark grapes a shorter or gentler period of contact with their skins, or by pressing them directly. White grapes can move in the opposite direction: prolonged fermentation with their skins produces amber or orange wines with more colour, grip and savoury character than a conventionally pressed white. A few grape varieties have coloured flesh, but they are exceptions. The useful model is not red grape equals red juice. It is that the winemaker decides how much of the berry travels into the liquid.

"Terroir means you can taste the soil"

The poetic version has roots drawing the flavour of chalk, slate or granite into grapes, then delivering those minerals to the glass. Plants do not absorb geological flavours in that form, and a wine described as flinty does not contain dissolved flint as its aromatic cause. Mineral nutrients enter vines as ions, while most recognised wine aromas arise from grape precursors, fermentation, maturation and perception.

Soil still matters. Its depth, drainage, water-holding capacity, temperature and nutrient supply affect vine growth, berry size, ripening and the balance

between leaves and fruit. Those effects interact with slope, exposure, rainfall, temperature, rootstock, canopy and farming. A stony soil may change water and heat conditions without making the wine taste of stones.

The myth survives because place can produce repeatable differences and mineral language can be useful shorthand. The mistake is turning a sensory description into a literal transport mechanism. Terroir is strongest when treated as a causal system whose parts can be investigated, not as geology dissolved into romance.

"The older the wine, the better"

Age is not a quality ladder. Most wine is made to be consumed young, when fruit, freshness and uncomplicated pleasure are intact. A bottle improves only if its components change towards a more pleasing balance before oxidation, fading fruit, microbial activity or closure failure carry it past that point.

Age-worthy wine usually begins with enough concentration and structure to survive transformation. Acidity can preserve freshness. Tannin can soften and combine. Sugar and alcohol can support some styles. Production, closure and storage matter as much as prestige. A fine bottle kept warm may age worse than an ordinary one stored cool and dark.

Age also changes rather than universally improves. Primary fruit may give way to dried fruit, nuts, leather, earth, toast or savoury notes. Some drinkers prefer that; others prefer youth. The market encourages the myth because scarcity and age can increase price, and because opening an old bottle feels ceremonial. The sensible question is not whether a wine is old. It is whether this wine benefits from the changes time is likely to produce, and whether it has been stored well enough to reach them.

"Natural wine is made without intervention"

Wine does not emerge from grapes untouched. Somebody chooses the site, plants or inherits the vines, prunes, controls disease, decides when to pick, moves fruit, selects a vessel and decides how to protect the result. Even allowing fermentation to begin with resident microorganisms is a production choice made inside a managed environment.

Natural wine is a loosely bounded movement rather than one universally fixed technical category. Producers commonly emphasise organic or low-input farming, spontaneous fermentation, few additions, limited filtration and low sulfur use. Definitions, certification and tolerances vary by group and market. A bottle can therefore carry the cultural expectation of natural wine without answering every technical question a buyer might have.

The useful distinction is between kinds and degrees of intervention, with consequences attached. A cultured yeast can increase predictability. Filtration can reduce microbial risk. Added sulfur can protect against oxidation and spoilage. Each can also be used crudely or unnecessarily. Low intervention may preserve difference and accept variation; it does not suspend chemistry. The honest question is what was done, why, and what risk the producer chose to keep.

"Screw caps are for cheap wine"

The closure does not rank the liquid. A screw cap can provide a consistent seal, avoid cork taint and regulate oxygen exposure through its liner. High-quality producers use it for wines intended for freshness and for wines capable of long ageing. Its poor reputation arose partly because early screw-capped bottles were associated with inexpensive retail wine, while cork retained centuries of ritual, sound and status.

Natural cork has strengths. It is renewable, elastic and culturally satisfying, and improved screening has reduced taint. It also varies between individual closures and can admit different amounts of oxygen. Synthetic stoppers and technical corks occupy other positions between consistency, cost and tradition.

Closure choice should follow the wine's intended development, the producer's quality control and the market. A screw cap is not airtight in every form, and cork is not automatically superior because it requires a corkscrew. What matters is whether the closure gives the bottle a stable path through storage. The ceremony takes seconds. The seal works for years.

"A heavy bottle proves the wine is serious"

Glass weight has almost no direct connection to wine quality. A thick bottle, deep punt and broad shoulders can signal expense because packaging has been used to construct that signal. The liquid inside did not gain concentration when the empty bottle became heavier.

The convention persists because buyers cannot inspect a sealed wine before purchase. Packaging supplies visible evidence where flavour is hidden, and producers know that weight can be read as luxury. The same mechanism appears in elaborate labels, oversized wooden cases and wax that makes opening harder while promising that the difficulty means something.

Bottle shape can serve practical and regional conventions, and stronger glass is essential for sparkling wine under pressure. Beyond such needs, extra weight raises material and transport burdens. The correction matters because wine already asks the buyer to separate real production costs from theatrical ones. Vineyard work, low yields, skilled labour, long maturation and reliable storage can justify expense. A bottle that strains the wrist mainly proves that somebody paid to move more glass.

"Experts taste the wine, not the label"

Training improves attention, vocabulary and knowledge of how wines are made. It does not remove the taster from human perception. In experiments, colour cues have shifted the descriptors applied to wine, and stated prices have changed reported pleasantness even when the liquid was repeated. Judges can disagree, and the same judge can score the same wine differently when it reappears in a flight.

Context enters before swallowing. A famous name creates expectation. Price implies sacrifice and reward. Order changes contrast. Temperature alters aroma and texture. Fatigue reduces sensitivity. Group discussion can pull descriptions together. Expertise can help a taster recognise these effects and design around them, but awareness is not immunity.

This does not make tasting worthless. Measurement can be noisy and still informative when conditions are controlled, comparisons are repeated and claims remain proportionate. The mistake is imagining a trained palate as a chemical instrument that reports an objective rank. Experts can often describe structure and identify faults with useful consistency. Preference, typicity and quality judgement still contain learned standards and context. The disciplined taster manages bias rather than claiming to have escaped it.

Use It

Wine lets agriculture, manufacturing, law, commerce and perception meet in one glass. The practical benefit is learning which questions reduce confusion and which details are theatre. Six lenses make the bottle easier to read and the tasting easier to trust.

Read the label as a set of claims

A label is compressed regulation and marketing. Start by asking what each word is claiming. A protected place name may imply that grapes came from a defined area and that production followed specified rules. A grape name may identify the main variety without guaranteeing one hundred per cent purity. A vintage usually identifies the harvest year, subject to the blending allowances of the relevant law. A producer name tells you who accepts reputational responsibility, though it may not reveal who grew the fruit or where the wine was bottled.

Then notice what is absent. A picturesque château can be a brand image rather than the building where the wine was made. Reserve may have a legal meaning in one country and little fixed meaning in another. Old vines can describe something real while remaining undefined. Natural,

handcrafted and premium may tell you more about the intended buyer than the process.

Read by level of enforceability: protected fact, producer description or atmospheric suggestion. That habit removes much of wine's intimidation.

Taste structure before naming aromas

People become stuck because wine language appears to require instant identification of blackcurrant, pencil shavings or wet stone. Begin with features that organise the drink. Is it dry or sweet? How strong is the acidity? Is there tannin, and does it feel fine, rough, drying or green? How much alcohol and body do you perceive? Is the finish short or persistent? Does any element dominate?

These judgements are imperfect, but more useful than forcing a precise fruit name. Structure explains why a wine works with food, feels refreshing or tiring, and balances sweetness. Aroma can follow in broad families: fruit, flowers, herbs, spice, fermentation, oak, age or fault. Specificity should increase only when perception earns it.

This order also improves memory. A list of six imagined berries is difficult to retrieve. A high-acid, light-bodied red with modest tannin and red-fruit character is a working model. Tasting becomes an act of organisation rather than a vocabulary examination.

Compare one variable at a time

A single glass supplies little context. Comparison turns sensation into information. Taste the same grape from two regions, two vintages from one producer, an oaked and unoaked version, or the same bottle at two temperatures. The question should be narrow enough that a difference can teach something.

Use similar glasses and serving sizes. Hide labels when expectation is part of the question. Move from delicate to powerful and dry to sweet where possible. Return after several minutes because temperature and oxygen change the wine. Write before discussion so the loudest person does not

become the group's palate.

One comparison rarely establishes cause. Two wines can differ through site, crop level, harvest date, fermentation, storage and bottle condition at once. The aim is not laboratory proof. It is disciplined noticing. Repeated comparisons build a personal reference library and expose claims that disappear whenever the label is hidden.

Separate soundness, typicity and preference

Three judgements are often collapsed into one. Soundness asks whether the wine is technically intact: free from unacceptable cork taint, volatile acidity, oxidation, reduction, refermentation or other faults. Typicity asks whether it resembles what its grape, place or style is expected to be. Preference asks whether you enjoy it.

They can point in different directions. A sound wine may be atypical because a warm vintage changed its balance or a producer rejected convention. A textbook example may bore you. A volatile or oxidative wine may be flawed by one standard and compelling within a deliberate style. Calling every disliked wine bad confuses preference with a universal verdict. Calling every unusual wine interesting protects defects with romance.

Keep the questions separate long enough to answer them honestly. Is anything wrong with the bottle? What was it trying to be? Do I want another glass? Expertise becomes more useful when it increases resolution rather than replacing taste with obedience.

Control temperature, air and time

Serving changes the wine before you judge it. Colder temperatures suppress aroma, sharpen the impression of acidity and make sweetness less obvious. Warmth increases volatility and can make alcohol more prominent. Many red wines benefit from being served cooler than a centrally heated room, while full white wines can lose character when numbed close to freezing.

Air is neither a universal cure nor a poison. Young, tight wines may open

after swirling or decanting. Fragile old wines can fade quickly once poured. Reduction may lessen with oxygen; oxidation cannot be reversed by more of it. Taste first, then decide whether the bottle needs time.

Storage extends the same lens. Heat accelerates change, light can damage sensitive wines, and repeated temperature swings increase risk. Once opened, refrigeration slows deterioration in red as well as white wine. The first controls are cool, dark, stable conditions and a closure that seals.

Buy for the occasion, not the hierarchy

Price combines farming, land, labour, scarcity, ageing, tax, distribution, reputation and demand. It does not translate cleanly into pleasure. A rare vineyard may command a large premium because demand is high and little wine exists. That market fact can be real without making the bottle proportionately more enjoyable at dinner.

Begin with the use. A bright picnic wine, a robust bottle for slow-cooked food, a mature wine for focused attention and a dependable house wine solve different problems. Ask a merchant for style, budget and context rather than the best wine. Spend extra where the difference matters to you: farming, age, rarity, region or discovery.

Scores and classifications can filter a crowded market, but they compress another person's standards into a number or rank. Use them to locate candidates, then learn which sources share your preferences. The objective is not to climb towards a final bottle. It is to match a changing drink to a real moment.

The limits

Wine can train attention and reward pretence. Its chemistry, geography and law support endless study, while uncertainty lets confidence outrun evidence. Blind tasting does not grant x-ray vision. Grapes and regions overlap, bottle variation is real, and identification weakens outside the taster's learned reference set.

Terroir can clarify how place and practice interact, then become a shield

against scrutiny. Appellations can protect origin, then freeze successful conventions and exclude useful adaptation. Low-intervention production can preserve character, then romanticise avoidable spoilage. Technical production can prevent faults, then erase difference through a narrow target of consistency. No camp owns purity because wine begins as a damaged fruit crop and reaches the bottle through choices.

Alcohol sets the hardest limit. Wine is culturally dense and sensorially interesting, and ethanol still increases health and impairment risks. Tasting skill does not change dose. Spitting and smaller pours reduce alcohol consumed; transport planning reduces a different set of immediate risks. Food and water can change the experience of drinking but do not cancel the dose. For cancer risk, no level of alcohol consumption is risk-free. People who do not drink have no health reason to begin for wine's supposed protective effects.

The one thing to keep

Keep the chain.

Every claim about wine should be traceable through a sequence: season and site shaped a vine; farming shaped its crop; harvest fixed a starting balance; fermentation and cellar choices transformed the grapes; law and commerce named the result; storage changed it; expectation and physiology completed the experience.

That chain prevents two opposite mistakes. One is reduction: wine is only chemistry, so place and culture are decoration. The other is mystification: wine expresses the earth directly, so mechanism and evidence insult it. The drink is richer because both accounts fail. Chemistry carries place imperfectly. Human decisions preserve some differences, create others and attach meaning to all of them.

The same bottle can therefore be agricultural product, microbial event, protected origin, luxury signal, family habit and sensory test. None is the hidden truth behind the rest. Each belongs at a different link. Ask where a difference entered, what could have changed it, which claim is protected,

and how much of your response arrived before the cork moved.

Wine becomes easier when you stop trying to know what the correct person would taste. Follow the chain, describe what is present, and keep preference honest. The glass will not reveal a hierarchy of people. It can reveal how a place, a crop and a sequence of choices became something you can notice.

Terms

Appellation

A legally or conventionally defined wine origin. Strong appellations connect place with permitted grapes and methods, making geography a production rule rather than a decorative address.

AVA

American Viticultural Area. A federally recognised grape-growing region in the United States, defined chiefly by geographical distinction. AVA status identifies origin but usually dictates fewer production rules than European appellations.

PDO

Protected Designation of Origin. The European Union category for products whose qualities or characteristics are linked closely to a defined place and whose production follows an approved specification.

PGI

Protected Geographical Indication. A broader European origin category than PDO, generally allowing more flexible grapes, areas or methods while maintaining a documented geographical connection.

Terroir

The interacting physical, biological and human conditions through which a place produces recognisable wine differences. Climate, soil, topography, plant material and practice all belong in the explanation.

Vintage

The year in which the grapes were harvested. Vintage records one growing season, though laws may permit a limited proportion of wine from other years in a labelled bottle.

Variety

A named cultivated type of grapevine, such as Riesling or Syrah. Variety describes genetic identity; its expression changes with clone, rootstock, site, season, farming and winemaking.

Clone

A group of vines propagated from one selected vine and sharing its genetic material. Clonal selection preserves useful traits but can narrow diversity when one choice dominates a region.

Rootstock

The rooted lower part of a grafted vine, commonly derived from American grape species or hybrids. It supplies resistance to phylloxera and influences vigour, water use and soil adaptation.

Canopy

The vine's leaves, shoots and fruiting zone. Canopy management controls light, airflow, temperature and photosynthesis, affecting disease pressure, ripening and the composition of the berries.

Flowering

The stage when grapevine flowers open and fertilisation occurs. Cold, rain or wind can reduce fruit set, making a few days of weather decisive for the eventual crop.

Véraison

The onset of ripening, when berries soften and coloured varieties begin to change colour. Sugar accumulation accelerates while acids decline and flavour and phenolic development continue.

Must

Freshly crushed grape juice together with any skins, seeds or solids retained before fermentation. The composition of the must sets the starting conditions for the cellar.

Pressing

Applying pressure to grapes or fermented skins to separate liquid from solids. Pressing strength and timing affect yield, tannin, bitterness, clarity and the difference between free-run and press fractions.

Maceration

Contact between juice or fermenting wine and grape skins, seeds or stems. It extracts colour, tannin, aroma precursors and other compounds, especially in red and skin-contact wines.

Alcoholic fermentation

The microbial conversion of grape sugars chiefly into ethanol, carbon dioxide, heat and flavour compounds. Yeast performs the main work, while conditions and competing organisms influence the result.

Malolactic conversion

The bacterial conversion of sharper malic acid into softer lactic acid, usually after alcoholic fermentation. It changes acidity, aroma and microbial stability and is common in red wine.

Lees

Yeast cells and other fine solids that settle after fermentation. Ageing wine on its lees can affect texture, aroma and oxygen exposure, especially when the lees are stirred.

Tannin

A group of phenolic compounds from skins, seeds, stems and oak that bind with proteins and create drying, gripping sensations. Tannins influence structure, food interaction and ageing.

Acidity

The combined presence and sensory effect of wine's acids. Acidity contributes freshness, balance and microbial stability, but perceived sourness also depends on sugar, alcohol, pH and temperature.

Residual sugar

Sugar remaining after fermentation ends or is stopped. A wine can contain measurable residual sugar yet taste dry when acidity, bitterness, alcohol and aroma offset its sweetness.

Body

The perceived weight and fullness of wine in the mouth. Alcohol, sugar, extract, glycerol, tannin, acidity and serving temperature all contribute; body is not the same as quality.

ABV

Alcohol by volume, the percentage of the wine's volume attributable to ethanol under specified conditions. It is a legal label statement and a rough guide to strength, not balance.

Oak

Wood used as a fermentation or ageing vessel, or introduced through alternatives such as staves. Oak can alter oxygen exposure, tannin and aromas including spice, toast and vanilla.

Élevage

The period of raising wine between fermentation and release, including vessel choice, lees contact, blending, transfers and stabilisation. The term emphasises development rather than passive waiting.

Oxidation

Chemical change involving oxygen or related reactions, often producing browning, fading fruit and nutty or bruised-apple notes. Controlled oxygen can aid maturation; excess exposure damages many styles.

Reduction

A loosely used tasting term for aromas associated with limited oxygen and volatile sulfur compounds, ranging from struck match to rotten egg. Air may help some forms, not all.

Cork taint

A musty, mouldy fault most often associated with haloanisole compounds such as TCA. It can suppress fruit at low levels and can arise from contaminated materials beyond natural cork.

Volatile acidity

Volatile acids, chiefly acetic acid, together with related compounds that can smell of vinegar or solvent. Small amounts may add lift; excessive levels obscure fruit and signal instability.

Go Deeper

The map

Hugh Johnson and Jancis Robinson, *The World Atlas of Wine*, eighth edition (Mitchell Beazley, 2019). This is the best bridge from the mental model in this book to the places on real labels. The maps show why rivers, slopes, coastlines, altitude and regional boundaries matter, while the text connects those features to grapes and styles. Use it as a reference rather than reading straight through. Its global range is wide, but any atlas dates as vineyards, laws and climate pressures change. Read one familiar region beside one unfamiliar region and compare how each turns physical geography into a naming system.

The science

Jamie Goode, *The Science of Wine: From Vine to Glass*, third edition (University of California Press, 2021). Goode explains viticulture, fermentation, flavour, oxygen, closures and sensory perception without requiring a chemistry degree. It is especially useful for testing claims that sound traditional but depend on a physical or biological mechanism. The book is denser than a narrative history and occasionally assumes that the reader wants the technical detail. That is the reason to keep it nearby when a winemaker's explanation feels too polished. It also helps separate findings that apply broadly from effects that depend on grape, vessel, temperature or scale.

The origins

Patrick E. McGovern, *Ancient Wine: The Search for the Origins of Viniculture* (Princeton University Press, 2003). McGovern follows pottery, residues, plants, trade and ritual through the earliest evidence for grape wine. The value lies in seeing how a historical claim is built from imperfect material rather than receiving one clean invention story. Some discoveries and genomic interpretations have advanced since publication, so use newer research for the latest dates. The archaeological method and the scale of the question remain compelling. Pair it with the later Caucasus residue studies if you want to see how new evidence can strengthen a field without producing one uncontested birthplace.

The tasting brain

Gordon M. Shepherd, *Neuroenology: How the Brain Creates the Taste of Wine* (Columbia University Press, 2017). This is the corrective to any account of tasting that treats the mouth and nose as passive measuring devices. Shepherd explains retronasal smell, movement, memory and the brain's construction of flavour. It is technical in places and more interested in neural mechanisms than vineyards or buying wine. Read it after a blind tasting. It makes disagreement less embarrassing and careless certainty less attractive. It also explains why training can improve discrimination while leaving expectation, language and learned categories inside the result.

Notes and Sources

Opening compression

Terroir. The definition follows OIV Resolution OIV/VITI 333/2010, which treats terroir as collective knowledge of interactions among an identifiable physical and biological environment and applied vitivinicultural practices. It includes soil, topography, climate, landscape and biodiversity. The manuscript therefore rejects both a soil-only definition and the claim that terroir is merely promotional language.

Fermentation and cellar practice. General production chemistry, microbiology, oxygen management and maturation were checked against Jackson's *Wine Science*, Goode's *The Science of Wine* and the OIV *International Code of Oenological Practices*, 2025 edition. The book describes interventions as choices with consequences rather than arranging them on a purity scale.

Reader relevance

Scale of the sector. The 2025 figures are from the OIV release of 12 May 2026. It estimated global vineyard area at 7.0 million hectares, wine production at 227 million hectolitres, consumption at 208 million hectolitres and international trade at 94.8 million hectolitres. The figures are provisional sector estimates and may be revised as national data improve.

Trade. The statement that nearly half of wine crosses a national border compares OIV's 2025 trade volume with its consumption estimate. It describes volume in the market, not the share of individual bottles or value.

Alcohol and health. The health limit follows the World Health Organization's distinction between relative risk and a safe threshold. WHO states that there is no safe level of alcohol consumption in relation to cancer risk. The narrative does not advise abstainers to begin drinking and does not repeat older claims that wine should be consumed for cardiovascular protection.

Conceptual model

1. Wine Is a Crop Before It Is a Drink. Vine physiology, phenology, canopy management, yield, water status, rootstocks and harvest decisions were checked against Keller's *The Science of Grapevines* and van Leeuwen and Darriet's review of climate effects. Flowering, véraison and ripening dates vary by cultivar, site and season, so the text avoids universal calendar dates. Phylloxera resistance is described as relative and rootstock-dependent, not complete immunity.

2. The Grape Contains the Whole Problem. Berry anatomy, sugar, acids,

phenolics, aroma precursors, skin contact and pressing were checked against Jackson and Goode. The distinction between dark skins and pale juice applies to most major wine grapes, with teinturier varieties as exceptions. Rosé methods differ by region and producer; the text names common routes rather than one rule.

3. Terroir Is a Causal System, Not Soil Poetry. The physical mechanisms follow van Leeuwen, Roby and de Rességuier's 2018 review and van Leeuwen and colleagues' 2020 review of terroir and aroma. Soil can affect vine behaviour through water supply, temperature, depth, rooting and nutrients. The book does not claim that geological material passes directly into wine as a matching flavour. Sensory terms such as mineral or flinty are treated as descriptions whose chemical causes can differ.

4. Fermentation Makes Alcohol; Winemaking Makes Style. Alcoholic fermentation, temperature, cap management, cultured and resident microorganisms, malolactic conversion, sulfur dioxide, vessels, lees, sparkling production, sweetness and fortification were checked against Jackson, Goode, the OIV Code and Australian Wine Research Institute technical material. Malolactic conversion is used rather than fermentation where precision matters because the process converts malic acid rather than fermenting sugar. Champagne production details were checked against the Comité Champagne's technical explanations of secondary fermentation, lees ageing, riddling, disgorgement and dosage.

5. Ageing Is Controlled Instability. Oxygen, phenolic change, closures, reduction, oxidation and bottle storage were checked against Goode, Jackson and AWRI closure and fault resources. The text avoids a fixed oxygen ranking for closures because performance varies by product and liner. Cork taint is associated chiefly with TCA but can originate from contaminated winery materials as well as the cork itself.

6. Appellations Turn Place into Law and Price. European terminology and current protection were checked against Regulation (EU) 2024/1143 and the amended wine rules under Regulation (EU) No 1308/2013. PDO and PGI specifications differ by product and country, so the narrative

describes the system's logic rather than implying one European production code. United States rules were checked against TTB guidance updated 8 January 2026. An AVA-labelled wine must derive at least 85 per cent of its volume from grapes grown in the named AVA and meet the relevant finishing requirement. AVAs normally define geographical origin rather than a European-style list of grapes and cellar methods.

7. Tasting Is Measurement by a Biased Instrument. The visual-colour experiment is Morrot, Brochet and Dubourdieu, 2001. The stated-price experiment is Plassmann and colleagues, 2008. Competition-judge repeatability is Hodgson, 2008. These studies establish specific context and reliability effects, not that all experts are useless or that every tasting judgement is arbitrary. Shepherd's *Neuroenology* supplied the broader model of flavour as an active construction involving retronasal smell, movement, memory and learned categories.

Production history and operating sequence

Earliest evidence. McGovern and colleagues reported grape-wine evidence from pottery at early Neolithic sites in Georgia dated roughly 6000 to 5800 BCE. The Areni-1 installation is dated around 4000 BCE. Barnard and colleagues detected malvidin-derived evidence in samples associated with the site, adding support to the archaeological interpretation. The text states that chemical residues support rather than single-handedly prove finished wine because tartaric acid and pigment markers require context and competing plant sources must be considered.

Domestication. Dong and colleagues analysed 3,525 wild and cultivated accessions and proposed two contemporaneous domestication events in western Asia around 11,000 years ago, with later movement and admixture. The genetic model remains an active field. The book therefore rejects one clean birthplace without replacing it with a claim that no regional origin can be discussed.

Ancient and medieval systems. The historical synthesis used McGovern, Johnson, Lukacs and the *Oxford Companion to Wine*. Egyptian labels, the

Greek symposium, Roman technical writing and amphora trade are better documented for elites, institutions and goods that travelled than for ordinary household production. The section on monasteries narrows the popular preservation story: ecclesiastical landholding and liturgical demand mattered, while lay producers, towns and non-western agricultural traditions also sustained vines and trade.

Bordeaux and England. Eleanor of Aquitaine's marriage in 1152 and Henry II's accession in 1154 placed Aquitaine under the English crown and helped create favourable political conditions for a large Bordeaux trade. The manuscript does not treat the marriage as the sole cause; customs, ports, shipping, municipal privilege, English demand and later conflict shaped the system.

Bottle, cork and sparkling wine. Stronger glass and improved cork use made bottle storage more practical during the seventeenth century, but bottles remained irregular and costly before later standardisation. Champagne developed through several linked advances. Dom Pierre Pérignon contributed to cellar management and blending at Hautvillers; the quotation about tasting stars is not contemporary evidence and is excluded.

Pasteur and phylloxera. Pasteur's nineteenth-century work established a biological account of fermentation and microbial spoilage without implying that scientific winemaking began with him. Phylloxera spread through European vineyards from the 1860s. Grafting *Vitis vinifera* scions onto resistant American-derived rootstocks became the durable response, with limited ungrafted exceptions in particular soils or isolated sites.

The regulated bottle and global market. Appellation systems arose through disputes over fraud, origin, grower income and merchant power. Their rules preserve selected practices rather than every historical custom. The 1976 Paris tasting is treated as a small event with large symbolic force, not a decisive scientific ranking of countries. Modern bulk shipping, destination bottling, varietal labels, scores and premium vineyard subdivision were checked against the OIV sector material and the modern syntheses listed below.

Climate and the present sector. The account of advanced phenology, altered acids and aromas, water stress and adaptation follows van Leeuwen and Darriet and INRAE's LACCAVE programme. The effects differ by place, variety and production goal. The manuscript lists options rather than promising that one practice can preserve every region unchanged. De-alcoholisation is recognised in current OIV practice; the text notes that removing ethanol also changes aroma release, body and balance.

How we know. The caution on residues follows current archaeological debate about biomolecular markers and context. Plant genetics reconstructs relationships among surviving material rather than directly observing the first cultivator. Trade documents overrepresent taxed and recorded flows. Sensory history cannot reproduce an ancient drink exactly because organisms, vessels, ingredients and learned expectations have changed.

Misconception checks

Colour. The red, white, rosé and skin-contact correction follows standard berry anatomy and extraction chemistry in Jackson and Goode. Champagne is used as a familiar example of pale wine from dark-skinned grapes, not as proof that every black variety behaves identically.

Natural wine. No single global legal definition governs the whole movement. Some associations and national schemes specify farming, additions or sulfur limits, but practice varies. The manuscript describes recurring commitments and avoids granting a universal certification where none exists.

Closures and faults. Screw-cap performance, cork variability, TCA, oxidation, reduction and volatile acidity were checked against AWRI technical resources and Goode. The book separates a closure's technical performance from its market signal.

Expert tasting. The experimental findings are represented narrowly. Morrot's work concerned descriptors under a colour manipulation; Plassmann concerned stated price and pleasantness; Hodgson concerned repeat scoring in competition conditions. None proves that knowledge,

training or blind comparison has no value.

Practical lenses

Labels. The distinction among protected fact, producer description and atmospheric suggestion reflects OIV labelling standards, EU geographical-indication law and TTB origin rules. Terms such as reserve and old vines vary by jurisdiction. OIV adopted definitions and recommendations for old vines and old vineyards in 2024, but the appearance of old vines on a retail label is still not one globally uniform age guarantee.

Serving and storage. Temperature and oxygen alter volatility, texture and reaction rates. The text gives directional guidance rather than one ideal serving temperature for all wines. Refrigeration slows change in an opened red as well as an opened white.

Alcohol. Spitting, smaller pours and transport planning reduce dose or immediate harm; they do not make alcohol risk-free. The WHO cancer statement is the basis for the final health sentence.

Bibliography

Original research and primary evidence

Barnard, Hans, Alek N. Dooley, Gregory Areshian, Boris Gasparian, and Kym F. Faull. "Chemical Evidence for Wine Production around 4000 BCE in the Late Chalcolithic Near Eastern Highlands." *Journal of Archaeological Science* 38, no. 5 (2011): 977-984.

Dong, Yang, et al. "Dual Domestications and Origin of Traits in Grapevine Evolution." *Science* 379, no. 6635 (2023): 892-901.

Hodgson, Robert T. "An Examination of Judge Reliability at a Major U.S. Wine Competition." *Journal of Wine Economics* 3, no. 2 (2008): 105-113.

McGovern, Patrick E., et al. "Early Neolithic Wine of Georgia in the South Caucasus." *Proceedings of the National Academy of Sciences* 114, no. 48

(2017): E10309-E10318.

Morrot, Gil, Frédéric Brochet, and Denis Dubourdieu. "The Color of Odors." *Brain and Language* 79, no. 2 (2001): 309-320.

Plassmann, Hilke, John O'Doherty, Baba Shiv, and Antonio Rangel. "Marketing Actions Can Modulate Neural Representations of Experienced Pleasantness." *Proceedings of the National Academy of Sciences* 105, no. 3 (2008): 1050-1054.

Modern works

Goode, Jamie. *The Science of Wine: From Vine to Glass*. 3rd ed. Oakland: University of California Press, 2021.

Harding, Julia, Jancis Robinson, and Tara Q. Thomas, eds. *The Oxford Companion to Wine*. 5th ed. Oxford: Oxford University Press, 2023.

Jackson, Ronald S. *Wine Science: Principles and Applications*. 5th ed. London: Academic Press, 2020.

Johnson, Hugh. *The Story of Wine: From Noah to Now*. London: Académie du Vin Library, 2020. First published 1989.

Johnson, Hugh, and Jancis Robinson. *The World Atlas of Wine*. 8th ed. London: Mitchell Beazley, 2019.

Keller, Markus. *The Science of Grapevines: Anatomy and Physiology*. 4th ed. London: Academic Press, 2025.

Lukacs, Paul. *Inventing Wine: A New History of One of the World's Most Ancient Pleasures*. New York: W. W. Norton, 2012.

McGovern, Patrick E. *Ancient Wine: The Search for the Origins of Viniculture*. Princeton: Princeton University Press, 2003.

Shepherd, Gordon M. *Neuroenology: How the Brain Creates the Taste of Wine*. New York: Columbia University Press, 2017.

van Leeuwen, Cornelis, and Philippe Darriet. "The Impact of Climate

Change on Viticulture and Wine Quality.” *Journal of Wine Economics* 11, no. 1 (2016): 150-167.

van Leeuwen, Cornelis, Jean-Philippe Roby, and Laure de Rességuier. “Soil-Related Terroir Factors: A Review.” *OENO One* 52, no. 2 (2018): 173-188.

van Leeuwen, Cornelis, et al. “Recent Advancements in Understanding the Terroir Effect on Aromas in Grapes and Wines.” *OENO One* 54, no. 4 (2020): 985-1006.

Standards, law and current technical sources

Alcohol and Tobacco Tax and Trade Bureau. “Wine Appellations of Origin.” Updated 8 January 2026.

Australian Wine Research Institute. “Wine Flavours, Faults and Taints.” Technical resource, accessed 11 August 2026.

Australian Wine Research Institute. “Malolactic Fermentation.” Technical resources, accessed 11 August 2026.

Australian Wine Research Institute. Closure-performance technical resources, accessed 11 August 2026.

Comité Champagne. Technical resources on fermentation, lees ageing, riddling, disgorgement and dosage, accessed 11 August 2026.

European Parliament and Council. Regulation (EU) 2024/1143 of 11 April 2024 on geographical indications for wine, spirit drinks and agricultural products. *Official Journal of the European Union*, 23 April 2024.

International Organisation of Vine and Wine. *Definition of Vitivinicultural “Terroir”*. Resolution OIV/VITI 333/2010.

International Organisation of Vine and Wine. *International Code of Oenological Practices*. 2025 ed. Dijon: OIV, 2025.

International Organisation of Vine and Wine. *International Standard for the Labelling of Wines*. 2025 ed. Dijon: OIV, 2025.

International Organisation of Vine and Wine. "State of the World Wine Sector in 2025: Tariffs, Climate and Consumer Trends Drive Sector Adaptation." 12 May 2026.

INRAE. "LACCAGE: A Ten-Year Research Partnership to Adapt Viticulture to Climate Change." 7 December 2021.

World Health Organization Regional Office for Europe. "Alcohol and Cancer." Updated 26 November 2025.